


1. A ready-to-use composition for dyeing fibers, comprising:
 - (i) at least one cationic direct dye chosen from compounds of formulae (I), (II), (III), (III') and (IV) below, and
 - (ii) at least one thickening polymer;
- (a) wherein said compounds of formula (I) are chosen from compounds of formula:



D is chosen from a nitrogen atom and a -CH group,

R_1 and R_2 , which may be identical or different, are chosen from a hydrogen atom; a 4'-aminophenyl radical; and C_1 - C_4 alkyl radicals which can optionally be substituted with a radical chosen from -CN, -OH and - NH_2 radicals or form, with each other or a carbon atom of the benzene ring of formula (I), a heterocycle optionally containing a heteroatom chosen from oxygen and nitrogen, which can be substituted with at least one radical chosen from C_1 - C_4 alkyl radicals;
















R₃ and R'₃, which may be identical or different, are chosen from a hydrogen


atom, halogen atoms, a cyano radical, C₁-C₄ alkyl radicals, C₁-C₄ alkoxy radicals and acetyloxy radicals,

X[•] is chosen from anions,


A is chosen from structures A₁ to A₁₉ below:

05725.0435-00000






A₁₆




A₁₇



A₁₈

and



A₁₉

in which:


R₄ is chosen from C₁-C₄ alkyl radicals which can be substituted with a hydroxyl radical, and

R₅ is chosen from C₁-C₄ alkoxy radicals, and

wherein when D represents -CH, when A represents A₄ or A₁₃ and when R₃ is not an alkoxy radical, R₁ and R₂ are not both a hydrogen atom;

(b) wherein said compounds of formula (II) are chosen from compounds of

formula:



in which:


R_6 is chosen from a hydrogen atom and C_1 - C_4 alkyl radicals,

R_7 is chosen from a hydrogen atom, alkyl radicals which can be substituted with a species chosen from a -CN radical and an amino group, and a 4'-aminophenyl radical, or forms, with R_6 , a heterocycle optionally comprising at least one heteroatom chosen from oxygen and nitrogen, which can be substituted with C_1 - C_4 alkyl radicals,

R_8 and R_9 , which may be identical or different, are chosen from a hydrogen atom, halogen atoms, C_1 - C_4 alkyl radicals C_1 - C_4 alkoxy radicals and a -CN radical,

X^- is chosen from anions,

B is chosen from structures B_1 to B_6 below:




in which:


R_{10} is chosen from C_1 - C_4 alkyl radicals, and

R_{11} and R_{12} , which may be identical or different, are chosen from a hydrogen atom and C_1 - C_4 alkyl radicals;

(c) wherein said compounds of formulae (III) and (III') are chosen from compounds of formulae:



(III)



(III')

in which:

R_{13} is chosen from a hydrogen atom, C_1 - C_4 alkoxy radicals, halogen atoms and an amino radical,

R_{14} is chosen from a hydrogen atom, C_1 - C_4 alkyl radicals or forms, with a carbon atom of the benzene ring, a heterocycle optionally containing an oxygen heteroatom and/or substituted with at least one to radical chosen from C_1 - C_4 alkyl radicals,

R_{15} is chosen from a hydrogen atom and halogen atoms,

R_{16} and R_{17} , which may be identical or different, are chosen from a hydrogen atom and C_1 - C_4 alkyl radicals,

D_1 and D_2 , which may be identical or different, are chosen from a nitrogen atom and a -CH group,

$m = 0$ or 1 ,

wherein when R_{13} is an unsubstituted amino group, D_1 and D_2 are both a -CH


LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D. C. 20005
202-408-4000


group and $m = 0$,

X^- is chosen from anions,


E is chosen from structures E₁ to E₈ below:




E1




E2




E3




E4



E5




E6



E7


and



E8

in which R' is chosen from C₁-C₄ alkyl radicals;

wherein when m = 0 and when D₁ represents a nitrogen atom, E can be further chosen from structure E9 below:



E9


in which R' is chosen from C₁-C₄ alkyl radicals;

(d) wherein said compounds of formula (IV) are chosen from compounds of formula:




in which:


G is chosen from structures G₁ to G₃ below:



G₁



G₂



G₃

in which:

R₁₈ is chosen from C₁-C₄ alkyl radicals and a phenyl radical which can optionally be substituted with C₁-C₄ alkyl radicals or a halogen atom chosen from chlorine, bromine, iodine and fluorine;

R₁₉ is chosen from C₁-C₄ radicals and a phenyl radical;

R₂₀ and R₂₁, which may be identical or different, are chosen from C₁-C₄ alkyl radicals and a phenyl radical, or

together form, in G₁, a benzene ring substituted with at least one radical chosen from C₁-C₄ alkyl radicals, C₁-C₄ alkoxy radicals and NO₂ radicals, or

together form, in G_2 , a benzene ring optionally substituted with at least one radical chosen from C_1 - C_4 alkyl radicals, C_1 - C_4 alkoxy radicals and NO_2 radicals;

R_{20} can be further chosen from a hydrogen atom;

Z is chosen from an oxygen atom, a sulphur atom and $-NR_{19}$ radicals;

M is chosen from a $-CH$ radical, $-C(C_1-C_4 \text{ alkyl})$ radicals and $-N^+R_{22}(X^-)_r$ radicals;

K is chosen from a $-CH$ radical, $-C(C_1-C_4 \text{ alkyl})$ radicals and $-N^+R_{22}(X^-)_r$ radicals;

P is chosen from a $-CH$ radical, $-C(C_1-C_4 \text{ alkyl})$ radicals and $-N^+R_{22}(X^-)_r$ radicals;

wherein r denotes zero or 1;

wherein R_{22} is chosen from an O^- anion, C_1 - C_4 alkoxy radicals, and C_1 - C_4 alkyl radicals;

R_{23} and R_{24} , which may be identical or different, are chosen from a hydrogen atom, halogen atoms chosen from chlorine, bromine, iodine and fluorine, C_1 - C_4 alkyl radicals, C_1 - C_4 alkoxy radicals and an $-NO_2$ radical;

X^- is chosen from anions;

wherein if R_{22} is O^- , r is zero;

wherein if K or P or M is C_1 - C_4 $-N^+$ -alkyl X^- , either R_{23} or R_{24} is not a hydrogen atom;

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D. C. 20005
202-406-4000

77
new matter
see p. 14
non-elected
through

wherein if K is $-N^+R_{22}(X^-)_r$, M and P are the same and are chosen from a -CH radical and $-C(C_1-C_4 \text{ alkyl})$ radicals;

wherein if M denotes $-N^+R_{22}(X^-)_r$, K and P are the same and are chosen from a -CH radical and $-C(C_1-C_4 \text{ alkyl})$ radicals;


if P is $-N^+R_{22}(X^-)_r$, K and M are the same and are chosen from a -CH radical and $-C(C_1-C_4 \text{ alkyl})$ radicals;

if Z is a sulphur atom with R_{21} being a radical chosen from C_1-C_4 alkyl radicals, R_{20} is not a hydrogen atom;

if Z is $-NR_{22}$ with R_{19} being a radical chosen from C_1-C_4 alkyl radicals, at least one of the radicals R_{18} , R_{20} and R_{21} of G_2 is not chosen from C_1-C_4 alkyl radicals;

J is chosen from:

(1) radicals chosen from structure J_1 below:



in which:

R_{25} is chosen from a hydrogen atom, halogen atoms chosen from chlorine, bromine, iodine and fluorine, C_1-C_4 alkyl radicals, C_1-C_4 alkoxy radicals, an -OH radical, an $-NO_2$ radical, $-NHR_{28}$ radicals, $-NR_{29}R_{30}$ radicals, $-NHCO(C_1-C_4 \text{ alkyl})$ radicals, or forms, with R_{26} , a 5- or 6-membered ring optionally containing at least

one heteroatom chosen from nitrogen, oxygen and sulphur;

R_{26} is chosen from a hydrogen atom, halogen atoms chosen from chlorine, bromine, iodine and fluorine, C_1 - C_4 alkyl radicals, C_1 - C_4 alkoxy radicals or forms, with R_{27} or R_{28} , a 5- or 6-membered ring optionally containing at least one heteroatom chosen from nitrogen, oxygen and sulphur;

R_{27} is chosen from a hydrogen atom, an -OH radical, $-NHR_{28}$ radicals and $-NR_{29}R_{30}$ radicals;

R_{28} is chosen from a hydrogen atom, C_1 - C_4 alkyl radicals, C_1 - C_4 monohydroxyalkyl radicals, C_2 - C_4 polyhydroxyalkyl radicals and a phenyl radical;

R_{29} and R_{30} , which may be identical or different, are chosen from C_1 - C_4 alkyl radicals, C_1 - C_4 monohydroxyalkyl radicals and C_2 - C_4 polyhydroxyalkyl radicals;

(2) 5- and 6-membered nitrogenous heterocyclic groups optionally containing other heteroatoms and/or carbonyl groups and optionally substituted with at least one radical chosen from C_1 - C_4 alkyl radicals, an amino radical, a phenyl radical, and







— wherein said at least one thickening polymer is chosen from polymers comprising:

(ii)₁ - nonionic amphiphilic polymers, comprising: at least one hydrophilic unit and at least one unit comprising a fatty chain;






(ii)₂ - anionic amphiphilic polymers, comprising: at least one hydrophilic unit and at least one unit comprising a fatty chain; and

(ii)₃ - cationic amphiphilic polymers, comprising at least one hydrophilic unit and at least one unit comprising a fatty chain.






2. The composition according to claim 1, wherein said fibers are keratin fibers.
3. The composition according to claim 2, wherein said keratin fibers are human hair.
4. The composition according to claim 1, wherein said halogen atoms of R₃, R'₃, R₈, R₉, and R₁₅, which may be identical or different, are chosen from chlorine, bromine, iodine and fluorine.
5. The composition according to claim 1, wherein said anions are chosen from chloride, methyl sulfate, acetate, and perchlorate.
6. The composition according to claim 1, wherein said heterocycle formed from R₆ and R₇ comprises a heteroatom chosen from oxygen and nitrogen.
7. The composition according to claim 1, wherein said at least one cationic direct dye chosen from compounds of formula (I) are chosen from compounds of formulae (I 1) to (I 54) below:








000000000000000000








66342-62366








66040 640560








66340-6250560








05725.0435-00000








668020 6250560








000000000000






66020 6250560



668020-62305660




660435-00000










8. The composition according to claim 7, wherein said at least one cationic direct dye chosen from compounds of formula (I) are chosen from said compounds of formulae (I1), (I2), (I14) and (I31).

9. The composition according to claim 1, wherein said at least one cationic direct dye chosen from compounds of formulae (II) are chosen from compounds of formulae (II1) to (II9) below:




05725.0435-00000












and









10. The composition according to claim 1, wherein said at least one cationic direct dye chosen from compounds of formula (III) are chosen from compounds of formulae (III1) to (III18) below:








05725.0435-00000








668040 62505260



66343-6250560

11. The composition according to claim 10, wherein said at least one cationic direct dye chosen from compounds of formula (III) are chosen from said compounds of formulae (III4), (III5) and (III13).

12. The composition according to Claim 1, wherein said at least one cationic direct dye chosen from compounds of formula (III') are chosen from compounds of formulae (III'1) to (III'3) below:









13. The composition according to Claim 1, wherein said at least one


cationic direct dye chosen from compounds of formula (IV) are chosen from compounds of formulae (IV)₁ to (IV)₇₇ below:

66040-64503660


CN(C)c1ccc(/N=N/c2ccccc2[N+]([O-])=O)cc1 (IV)₁[O-][N+]1=CC=CC=C1/N=N/c2ccc(O)cc3c2cnc3 (IV)₂CN(C)c1ccc(cc1)/N=N/c2ccccc2[N+]([O-])=O (IV)₃[O-][n+]1ccccc1N=Nc2ccc(cc2)N(CCO)CCO (IV)₄[O-]n1cccc(c1)/N=N/c2ccc(N)cc2 (IV)₅[O-][n+]1ccccc1N=Nc2ccc(Nc3ccccc3)cc2 (IV)₆




663020 64303660




(IV)₁₃




(IV)₁₄




(IV)₁₅




(IV)₁₆




(IV)₁₇




(IV)₁₈




(IV)₁₉




(IV)₂₀



(IV)₂₁




(IV)₂₂




(IV)₂₃


66020"643560




(IV)₂₄



(IV)₂₅




(IV)₂₆



(IV)₂₇

CH₃SO₄⁻



(IV)₂₈


CH₃SO₄⁻

668020 6459660


LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D. C. 20005
202-408-4000







(IV)₃₄



(IV)₃₅



(IV)₃₆




(IV)₃₇

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 1 STREET, N.W.
WASHINGTON, D. C. 20005
202-408-4000









(IV)₄₇



(IV)₄₈



(IV)₄₉




(IV)₅₀


065060162505660

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D. C. 20005
202-408-4000




(IV)₅₁




(IV)₅₂




(IV)₅₃




(IV)₅₄




(IV)₅₅




(IV)₅₆



(IV)₅₇




(IV)₅₈




(IV)₅₉


093639.070899




(IV)₆₀




(IV)₆₁



(IV)₆₂




(IV)₆₃




(IV)₆₄







(IV)₆₉




(IV)₇₀



(IV)₇₁



(IV)₇₂




(IV)₇₃


6620-63660

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 1 STREET, N.W.
WASHINGTON, D. C. 20005
202-408-4000




(IV)₇₄



(IV)₇₅



(IV)₇₆



(IV)₇₇

668020-625560

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D. C. 20005
202-406-4000

14. The composition according to claim 1, wherein said at least one cationic direct dye is present in an amount ranging from 0.001 to 10% by weight relative to the total weight of the composition.

15. The composition according to claim 14, wherein said at least one cationic direct dye is present in an amount ranging from 0.005 to 5% by weight relative to the total weight of the composition.

16. The composition according to claim 1, wherein said at least one thickening polymer is chosen from said nonionic amphiphilic polymers, wherein said at least one hydrophilic unit is chosen from celluloses modified with at least one unit comprising a fatty chain.

17. The composition according to claim 16, wherein said celluloses are chosen from hydroxyethylcelluloses, and wherein said at least one unit comprising a fatty chain is chosen from alkyl, aralkyl, and alkylaryl groups and mixtures thereof.

18. The composition according to Claim 17, wherein said at least one unit comprising a fatty chain is chosen from C₈-C₂₂ chains.

19. The composition according to claim 17, wherein said at least one unit comprising a fatty chain is chosen from C₁₆ alkyl groups.

20. The composition according to claim 16, wherein said at least unit comprising a fatty chain is chosen from polyalkylene glycol alkylphenyl ethers.

21. The composition according to Claim 20, wherein said polyalkylene

05725.0435-00000

glycol alkylphenyl ethers are polyethylene glycol (15) nonylphenyl ether.

22. The composition according to claim 1, wherein said at least one thickening polymer chosen from nonionic amphiphilic polymers, and further wherein said hydrophilic unit is chosen from hydroxypropylguars modified with at least one unit comprising a fatty chain.

23. The composition according to claim 22, wherein said at least one unit comprising a fatty chain is chosen from C₁₄, C₂₀, and C₂₂ alkyl chains.

24. The composition according to claim 1, wherein said at least one thickening polymer is chosen from nonionic amphiphilic polymers, and further wherein said at least one hydrophilic unit is chosen from polyurethane ethers comprising at least one unit comprising a fatty chain chosen from C₈-C₃₀ alkyl and alkenyl chains.

25. The composition according to claim 1, wherein said at least one thickening polymer chosen from nonionic amphiphilic polymers is chosen from copolymers of vinylpyrrolidone and of hydrophobic monomers containing a fatty chain.

26. The composition according to claim 25, wherein in said copolymers are chosen from vinylpyrrolidone/hexadecene copolymers and vinylpyrrolidone/eicosene copolymers.

27. The composition according to claim 1, wherein said at least one

thickening polymer chosen from nonionic amphiphilic polymers is chosen from copolymers of C₁-C₆ alkyl methacrylates and of C₁-C₆ alkyl acrylates and of amphiphilic monomers comprising at least one fatty chain.

28. The composition according to claim 27, wherein said thickening polymer chosen from nonionic amphiphilic polymers is chosen from oxyethylenated methyl methacrylate/stearyl acrylate copolymers.

29. The composition according to claim 1, wherein said at least one thickening polymer chosen from nonionic amphiphilic polymers is chosen from copolymers of hydrophilic methacrylates and of hydrophilic acrylates and of hydrophobic monomers comprising at least one fatty chain.

30. The composition according to claim 29, wherein said at least one thickening polymer chosen from nonionic amphiphilic polymers is chosen from polyethylene glycol methacrylate/lauryl methacrylate copolymers.

31. The composition according to claim 1, wherein said at least one thickening polymer chosen from nonionic amphiphilic polymers is chosen from: cetyl hydroxyethylcellulose, copolymers of vinylpyrrolidone/hexadecene, vinylpyrrolidone/eicosene, copolymers of oxyethylenated methyl methacrylate/stearyl acrylate, and polyethylene glycol methacrylate/lauryl methacrylate.


32. The composition according to claim 1, wherein said at least one

thickening polymer is chosen from said anionic amphiphilic polymers, and further wherein said at least one hydrophilic unit comprises an unsaturated ethylenic anionic monomer and said at least one unit comprising a fatty chain is chosen from allyl ethers comprising a fatty chain.

33. The composition according to claim 32, wherein said unsaturated ethylenic anionic monomer is chosen from vinylcarboxylic acids.

34. The composition according to claim 33, wherein said vinylcarboxylic acids are chosen from acrylic acid, methacrylic acid and mixtures thereof.

35. The composition according to claim 32, wherein said the allyl ethers comprising a fatty chain are chosen from monomers of formula (V) below:



in which:

R' is chosen from H and CH₃,

B is an ethylenoxy radical,

n is zero or is chosen from an integer ranging from 1 to 100, and


R is chosen from hydrocarbon-based radicals chosen from alkyl and cycloalkyl radicals comprising from 8 to 30 carbon atoms.

36. The composition according to Claim 35, wherein said hydrocarbon-based radicals are chosen from alkyl radicals comprising from 10 to 24 carbon atoms.

37. The composition according to claim 36, wherein said R' is a hydrogen atom, n is equal to 10, and R is a stearyl radical.

38. The composition according to claim 32, wherein said at least one thickening polymer chosen from said anionic amphiphilic polymers is crosslinked.

39. The composition according to claim 32, wherein said at least one thickening polymer chosen from anionic amphiphilic polymers is a polymer formed from a mixture of monomers comprising acrylic acid, a crosslinking agent, and an ester of formula (VII) below:



in which:

R¹ is chosen from H and CH₃, and


R² is chosen from alkyl radicals comprising from 12 to 22 carbon atoms.

40. The composition according to claim 32, wherein said at least one thickening polymer chosen from anionic amphiphilic polymers is a polymer of acrylic acid and of lauryl methacrylate.

41. The composition according to claim 1, wherein said anionic amphiphilic polymer is formed by emulsion polymerization of:

from 20 to 60% by weight of an acid chosen from acrylic acid, methacrylic acid, and mixtures thereof;

from 5 to 60% by weight of acrylates chosen from lower alkyl (meth)acrylates;
from 2 to 50% by weight of allyl ethers containing a fatty chain, and
from 0 to 1% by weight of a crosslinking agent,
wherein said the allyl ethers comprising a fatty chain are chosen from
monomers of formula (V) below:



in which:

R' is chosen from H and CH₃,

B is an ethylenoxy radical,

n is zero or is chosen from an integer ranging from 1 to 100, and

R is chosen from hydrocarbon-based radicals chosen from alkyl and
cycloalkyl radicals comprising from 8 to 30 carbon atoms.

42. The composition according to claim 41, wherein said polymer is a
crosslinked polymer comprising 40% by weight of methacrylic acid residue, 50% by
weight of ethyl acrylate residue and 10% by weight of polyethylene glycol (10 EO)
stearyl ether residue.


43. The composition according to claim 1, wherein said at least one
thickening polymer chosen from said anionic amphiphilic polymers is chosen from
crosslinked terpolymers of methacrylic acid, of ethyl acrylate, of polyethylene glycol
(10 EO) stearyl ether.

44. The composition according to claim 43, wherein said at least one thickening polymer chosen from said anionic amphiphilic polymers is chosen from crosslinked terpolymers of methacrylic acid, of ethyl acrylate and of Steareth-10 allyl ether.

45. The composition according to claim 44, wherein said at least one thickening polymer chosen from said anionic amphiphilic polymers is in the form of an aqueous 30% emulsion of said crosslinked terpolymer.

46. The composition according to claim 1, wherein said at least one thickening polymer is chosen from anionic amphiphilic polymers, wherein said at least one hydrophilic unit is chosen from unsaturated olefinic carboxylic acids and further wherein said at least one unit comprising a fatty chain is chosen from (C₁₀-C₃₀)alkyl esters of unsaturated carboxylic acids.


47. The composition according to claim 46, wherein said hydrophilic unit is chosen from monomers of formula (VI) below:



in which R¹ is chosen from H, CH₃, and C₂H₅.

48. The composition according to claim 47, wherein said hydrophilic unit is chosen from acrylic acid, methacrylic acid and mixtures thereof.

49. The composition according to claim 47, wherein said at least one unit comprising a fatty chain is chosen from esters of monomers of formula (VII) below:



in which:

R¹ is chosen from H, CH₃, and C₂H₅, and

R² is chosen from C₁₀-C₃₀ alkyl radicals.

50. The composition according to claim 49, wherein said R¹ is chosen from H and CH₃.

51. The composition according to claim 49, wherein said R² is chosen from C₁₂-C₂₂ alkyl radicals.

52. The composition according to claim 46, wherein said (C₁₀-C₃₀)alkyl esters of unsaturated carboxylic acids are chosen from lauryl acrylate, stearyl acrylate, decyl acrylate, isodecyl acrylate, dodecyl acrylate and the corresponding methacrylates, lauryl methacrylate, stearyl methacrylate, decyl methacrylate, isodecyl methacrylate and dodecyl methacrylate.

53. The composition according to claim 46, wherein said at least one thickening polymer chosen from said anionic amphiphilic polymers is chosen from:
polymers formed from a mixture of acrylic acid and lauryl methacrylate

crosspolymers of acrylates/C10-30 alkyl acrylates.

55. The composition according to claim 54, wherein said quaternized cellulose compounds and polyacrylates containing amino side groups comprise from 8 to 30 carbon atoms.

56. The composition according to claim 54, wherein said quaternized cellulose compounds are chosen from quaternized celluloses modified with at least one fatty chain chosen from alkyl, arylalkyl and alkylaryl chains comprising at least 8 carbon atoms, and mixtures thereof.

57. The composition according to claim 54, wherein said quaternized cellulose compounds are chosen from quaternized hydroxyethylcelluloses modified with at least one fatty chain chosen from alkyl, arylalkyl and alkylaryl chains comprising at least 8 carbon atoms and mixtures thereof.

58. The composition according to claim 54, wherein said polyacrylates containing amino side groups are quaternized.

59. The composition according to claim 54, wherein said polyacrylates containing amino side groups further comprise hydrophobic groups.

60. The composition according to claim 59, wherein said hydrophobic groups are polyoxyethylenated (20) stearyl alcohol.

61. The composition according to claim 54, wherein said cationic amphiphilic polymers are chosen from polyquarternium-24, PG-hydroxyethylcellulose lauryldiammonium chloride, PG-hydroxyethylcellulose cocodiammonium chloride, and PG-hydroxyethylcellulose stearyldiammonium chloride.

62. The composition according to claim 1, wherein said least one thickening polymer is present in an amount ranging from 0.01 to 10% by weight relative to the total weight of said composition.

63. The composition according to claim 62, wherein said at least one thickening polymer is present in an amount ranging from 0.1 to 5% by weight relative to the total weight of said composition.

64. The composition according to claim 1, further comprising water or a mixture of water and at least one organic solvent.

65. The composition according to claim 1, wherein said composition has a pH ranging from 2 to 11.

66. The composition according to claim 65, wherein said composition has a pH ranging from 5 to 10.

67. The composition according to claim 1, further comprising at least one

non-cationic direct dye chosen from nitrobenzene dyes, anthraquinone dyes, naphthoquinone dyes, triarylmethane dyes, xanthene dyes and azo dyes.

68. The composition according to claim 1, further comprising at least one oxidation base chosen from para-phenylenediamines, bis(phenyl)alkylenediamines, para-aminophenols, ortho-aminophenols and heterocyclic bases.

69. The composition according to claim 68, wherein said composition is present in an amount sufficient for oxidation dyeing.

70. The composition according to claim 68, wherein said at least one oxidation base is present in an amount ranging from 0.0005 to 12% by weight relative to the total weight of said composition.

71. The composition according to claim 70, wherein said at least one oxidation base is present in an amount ranging from 0.005 to 6% by weight relative to the total weight of said composition.

72. The composition according to claim 68, further comprising at least one coupler chosen from meta-phenylenediamines, meta-aminophenols, meta-diphenols and heterocyclic couplers.

73. The composition according to claim 72, wherein said at least one coupler is present in an amount ranging from 0.0001 to 10% by weight relative to the total weight of said composition.

74. The composition according to claim 73, wherein said at least one

coupler is present in an amount ranging from 0.005 to 5% by weight relative to the total weight of said composition.

75. The composition according to claim 68, wherein said composition is present in an amount sufficient for oxidation dyeing.

76. The composition according to claim 68, further comprising at least one oxidizing agent.

77. The composition according to claim 76, wherein said at least one oxidizing agent is chosen from hydrogen peroxide, urea peroxide, alkali metal bromates, persalts, and enzymes.

78. The composition according to claim 1, wherein said composition is present in an amount sufficient for lightening direct dyeing.

79. The composition according to claim 1, further comprising at least one oxidizing agent.

80. The composition according to claim 79, wherein said at least one oxidizing agent is chosen from hydrogen peroxide, urea peroxide, alkali metal bromates, persalts, and enzymes.







81. The composition according to claim 1, wherein said composition is in a form chosen from a shampoo, a cream, and a gel.






82. A ready-to-use composition for dyeing fibers, comprising:






— at least one cationic direct dye chosen from:

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D. C. 20005
202-408-4000






















66020-629960






LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D. C. 20005
202-406-4000




























005039 01000



000020" 6450560













6602016250560

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D. C. 20005
202-408-4000





CH_3SO_4^- (II7)


;




CH_3SO_4^- (II8)

;

and



CH_3SO_4^- (II9)









Cl^- (III1)

;






668020 62505660

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D. C. 20005
202-408-4000




















05725.0435.00









666020 04350500




(IV)₁₃




(IV)₁₄



(IV)₁₅




(IV)₁₆




(IV)₁₇


000020 04350000




(IV)₁₈




(IV)₁₉




(IV)₂₀



(IV)₂₁



(IV)₂₂




(IV)₂₃


05725.0435-00000









(IV)₃₄



(IV)₃₅



(IV)₃₆




(IV)₃₇


66040 6450960









(IV)₄₈




(IV)₄₉




(IV)₅₀




(IV)₅₁




(IV)₅₂



(IV)₅₃




(IV)₅₄




(IV)₅₅


Case 1:17-cv-01000




(IV)₅₆



(IV)₅₇




(IV)₅₈




(IV)₅₉


663343-663343




(IV)₆₀




(IV)₆₁



(IV)₆₂




(IV)₆₃




(IV)₆₄


CH₃SO₄⁻



(IV)₆₅




(IV)₆₆




(IV)₆₇


CH₃SO₄⁻




(IV)₆₈




(IV)₆₉




(IV)₇₀



(IV)₇₁



(IV)₇₂



(IV)₇₃



— at least one thickening polymer, chosen from:

nonionic amphiphilic polymers chosen from: polyethylene glycol (15) nonylphenyl ether; cetyl hydroxyethylcellulose, copolymers of vinylpyrrolidone/hexadecene, vinylpyrrolidone/eicosene, copolymers of oxyethylenated methyl methacrylate/stearyl acrylate, diurethane (HMD) of oxyethylenated (66 EO) and oxypropylenated (14 PO) C₁₆-C₁₈ alcohols, and polyethylene glycol methacrylate/lauryl methacrylate;

anionic amphiphilic polymers chosen from: crosslinked terpolymers of methacrylic acid, of ethyl acrylate and of Steareth-10 allyl ether; crosslinked terpolymers of methacrylic acid/ethylacrylate/steareth 10 allyl ether; polymers of acrylic acid and of lauryl methacrylate; polymers formed from a mixture of acrylic acid and lauryl methacrylate monomers; and crosspolymers of acrylates/C10-30 alkyl acrylates and crosspolymers of acrylic acid/C₁₀-C₃₀ alkyl acrylate;

cationic amphiphilic polymers chosen from: polyquaternium-24, PG-hydroxyethylcellulose lauryldiammonium chloride, PG-hydroxyethylcellulose cocodiammonium chloride, and PG-hydroxyethylcellulose stearyldiammonium chloride.


83. A ready-to-use composition for dyeing fibers, comprising:

— at least one cationic direct dye chosen from compounds of formulae (I1), (I14), and (IV27) below:

(127)

period of time sufficient to achieve the desired coloration, wherein said composition comprises:

- (i) at least one cationic direct dye chosen from compounds of formulae (I), (II), (III), (III') and (IV) below, and
- (ii) at least one thickening polymer;
- (a) wherein said compounds of formula (I) are chosen from compounds of formula:



in which:

D is chosen from a nitrogen atom and a -CH group,

R₁ and R₂, which may be identical or different, are chosen from a hydrogen atom; a 4'-aminophenyl radical; and C₁-C₄ alkyl radicals which can optionally be substituted with a radical chosen from -CN, -OH and -NH₂ radicals or form, with each other or a carbon atom of the benzene ring of formula (I), a heterocycle optionally containing a heteroatom chosen from oxygen and nitrogen, which can be substituted with at least one radical chosen from C₁-C₄ alkyl radicals;
















R₃ and R'₃, which may be identical or different, are chosen from a hydrogen


atom, halogen atoms, a cyano radical, C₁-C₄ alkyl radicals, C₁-C₄ alkoxy radicals and acetyloxy radicals,

X⁻ is chosen from anions,


A is chosen from structures A₁ to A₁₉ below:

66020-63030






A₁₆




A₁₇



A₁₈

and



A₁₉

in which:


R₄ is chosen from C₁-C₄ alkyl radicals which can be substituted with a hydroxyl radical, and

R₅ is chosen from C₁-C₄ alkoxy radicals, and

wherein when D represents -CH, when A represents A₄ or A₁₃ and when R₃ is not an alkoxy radical, R₁ and R₂ are not both a hydrogen atom;

(b) wherein said compounds of formula (II) are chosen from compounds of

formula:



in which:


R_6 is chosen from a hydrogen atom and C_1 - C_4 alkyl radicals,

R_7 is chosen from a hydrogen atom, alkyl radicals which can be substituted with a species chosen from a -CN radical and an amino group, and a 4'-aminophenyl radical, or forms, with R_6 , a heterocycle optionally comprising at least one heteroatom chosen from oxygen and nitrogen, which can be substituted with C_1 - C_4 alkyl radicals,

R_8 and R_9 , which may be identical or different, are chosen from a hydrogen atom, halogen atoms, C_1 - C_4 alkyl radicals C_1 - C_4 alkoxy radicals and a -CN radical,

X^- is chosen from anions,

B is chosen from structures B_1 to B_6 below:




in which:


R_{10} is chosen from C_1 - C_4 alkyl radicals, and

R_{11} and R_{12} , which may be identical or different, are chosen from a hydrogen atom and C_1 - C_4 alkyl radicals;

(c) wherein said compounds of formulae (III) and (III') are chosen from compounds of formulae:



(III)



(III')

in which:

R_{13} is chosen from a hydrogen atom, C_1 - C_4 alkoxy radicals, halogen atoms and an amino radical,

R_{14} is chosen from a hydrogen atom, C_1 - C_4 alkyl radicals or forms, with a carbon atom of the benzene ring, a heterocycle optionally containing an oxygen heteroatom and/or substituted with at least one to radical chosen from C_1 - C_4 alkyl radicals,

R_{15} is chosen from a hydrogen atom and halogen atoms,

R_{16} and R_{17} , which may be identical or different, are chosen from a hydrogen atom and C_1 - C_4 alkyl radicals,

D_1 and D_2 , which may be identical or different, are chosen from a nitrogen atom and a -CH group,


$m = 0$ or 1 ,

wherein when R_{13} is an unsubstituted amino group, D_1 and D_2 are both a -CH


group and $m = 0$,

X^- is chosen from anions,


E is chosen from structures E_1 to E_8 below:




E1




E2




E3




E4



E5




E6



E7


and



E8

in which R' is chosen from C₁-C₄ alkyl radicals;


wherein when m = 0 and when D₁ represents a nitrogen atom, E can be further chosen from structure E9 below:



E9


in which R' is chosen from C₁-C₄ alkyl radicals;

(d) wherein said compounds of formula (IV) are chosen from compounds of formula:




in which:


G is chosen from structures G₁ to G₃ below:



G₁



G₂



G₃

in which:

R₁₈ is chosen from C₁-C₄ alkyl radicals and a phenyl radical which can optionally be substituted with C₁-C₄ alkyl radicals or a halogen atom chosen from chlorine, bromine, iodine and fluorine;

R₁₉ is chosen from C₁-C₄ radicals and a phenyl radical;

R₂₀ and R₂₁, which may be identical or different, are chosen from C₁-C₄ alkyl radicals and a phenyl radical, or

together form, in G₁, a benzene ring substituted with at least one radical chosen from C₁-C₄ alkyl radicals, C₁-C₄ alkoxy radicals and NO₂ radicals, or

together form, in G_2 , a benzene ring optionally substituted with at least one radical chosen from C_1 - C_4 alkyl radicals, C_1 - C_4 alkoxy radicals and NO_2 radicals;

R_{20} can be further chosen from a hydrogen atom;

Z is chosen from an oxygen atom, a sulphur atom and $-NR_{19}$ radicals;

M is chosen from a $-CH$ radical, $-C(C_1-C_4 \text{ alkyl})$ radicals and $-N^+R_{22}(X^-)_r$ radicals;

K is chosen from a $-CH$ radical, $-C(C_1-C_4 \text{ alkyl})$ radicals and $-N^+R_{22}(X^-)_r$ radicals;

P is chosen from a $-CH$ radical, $-C(C_1-C_4 \text{ alkyl})$ radicals and $-N^+R_{22}(X^-)_r$ radicals;

wherein r denotes zero or 1;

wherein R_{22} is chosen from an O^- anion, C_1 - C_4 alkoxy radicals, and C_1 - C_4 alkyl radicals;

R_{23} and R_{24} , which may be identical or different, are chosen from a hydrogen atom, halogen atoms chosen from chlorine, bromine, iodine and fluorine, C_1 - C_4 alkyl radicals, C_1 - C_4 alkoxy radicals and an $-NO_2$ radical;

X^- is chosen from anions;

wherein if R_{22} is O^- , r is zero;

wherein if K or P or M is C_1 - C_4 $-N^+$ -alkyl X^- , either R_{23} or R_{24} is not a hydrogen atom;

wherein if K is $-N^+R_{22}(X^-)_r$, M and P are the same and are chosen from a -CH radical and $-C(C_1-C_4 \text{ alkyl})$ radicals;

wherein if M denotes $-N^+R_{22}(X^-)_r$, K and P are the same and are chosen from a -CH radical and $-C(C_1-C_4 \text{ alkyl})$ radicals;


if P is $-N^+R_{22}(X^-)_r$, K and M are the same and are chosen from a -CH radical and $-C(C_1-C_4 \text{ alkyl})$ radicals;

if Z is a sulphur atom with R_{21} being a radical chosen from C_1-C_4 alkyl radicals, R_{20} is not a hydrogen atom;

if Z is $-NR_{22}$ with R_{19} being a radical chosen from C_1-C_4 alkyl radicals, at least one of the radicals R_{18} , R_{20} and R_{21} of G_2 is not chosen from C_1-C_4 alkyl radicals;

J is chosen from:

(1) radicals chosen from structure J_1 below:



in which:

R_{25} is chosen from a hydrogen atom, halogen atoms chosen from chlorine, bromine, iodine and fluorine, C_1-C_4 alkyl radicals, C_1-C_4 alkoxy radicals, an -OH radical, an $-NO_2$ radical, $-NHR_{28}$ radicals, $-NR_{29}R_{30}$ radicals, $-NHCO(C_1-C_4 \text{ alkyl})$ radicals, or forms, with R_{26} , a 5- or 6-membered ring optionally containing at least

one heteroatom chosen from nitrogen, oxygen and sulphur;

R_{26} is chosen from a hydrogen atom, halogen atoms chosen from chlorine, bromine, iodine and fluorine, C_1 - C_4 alkyl radicals, C_1 - C_4 alkoxy radicals or forms, with R_{27} or R_{28} , a 5- or 6-membered ring optionally containing at least one heteroatom chosen from nitrogen, oxygen and sulphur;

R_{27} is chosen from a hydrogen atom, an -OH radical, -NHR₂₈ radicals and -NR₂₉R₃₀ radicals;

R_{28} is chosen from a hydrogen atom, C_1 - C_4 alkyl radicals, C_1 - C_4 monohydroxyalkyl radicals, C_2 - C_4 polyhydroxyalkyl radicals and a phenyl radical;

R_{29} and R_{30} , which may be identical or different, are chosen from C_1 - C_4 alkyl radicals, C_1 - C_4 monohydroxyalkyl radicals and C_2 - C_4 polyhydroxyalkyl radicals;

(2) 5- and 6-membered nitrogenous heterocyclic groups optionally containing other heteroatoms and/or carbonyl groups and optionally substituted with at least one radical chosen from C_1 - C_4 alkyl radicals, an amino radical, a phenyl radical, and

— wherein said at least one thickening polymer is chosen from polymers comprising:

(ii)₁ - nonionic amphiphilic polymers, comprising: at least one hydrophilic unit and at least one unit comprising a fatty chain;







(ii)₂ - anionic amphiphilic polymers, comprising: at least one hydrophilic unit and at least one unit comprising a fatty chain; and






~~(ii)~~₃ - cationic amphiphilic polymers, comprising at least one hydrophilic unit
and at least one unit comprising ~~a fatty chain~~ *at least one cationic direct dye chosen from*






85. The process according to claim 84, further comprising washing said fibers with shampoo, rinsing said fibers and drying said fibers.

86. A process for dyeing fibers, comprising applying a ready-to-use composition for the oxidation dyeing of fibers to said fibers and developing for a period of time sufficient to achieve the desired coloration, wherein said composition comprises *at least one cationic direct dye chosen from*






6250520






















66020163666















05725.0435-00000










668020 643560












66340-6250660



LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000



















66620 643560








and
















663020 6230360












000020" 62509600




0000043500




66040-620000




(IV)₁₃




(IV)₁₄



(IV)₁₅




(IV)₁₆




(IV)₁₇


625020 6250360




(IV)₁₈




(IV)₁₉




(IV)₂₀




(IV)₂₁




(IV)₂₂




(IV)₂₃




(IV)₂₄



(IV)₂₅




(IV)₂₆



(IV)₂₇

CH₃SO₄⁻




(IV)₂₈


CH₃SO₄⁻




Cc1ccc(cc1[N+](C)(C)N=Nc2ccc(cc2)Nc3ccccc3)[CH3-](S(=O)(=O)C) (IV)₃₄




(IV)₃₈



(IV)₃₉




(IV)₄₀




(IV)₄₁


668020 6290920




(IV)₄₂




(IV)₄₃




(IV)₄₄




(IV)₄₅




(IV)₄₆




(IV)₄₇



(IV)₄₈




(IV)₄₉




(IV)₅₀

668020 6/90560







(IV)₅₆




(IV)₅₇




(IV)₅₈




(IV)₅₉




(IV)₆₀




(IV)₆₁




(IV)₆₂




(IV)₆₃




(IV)₆₄




(IV)₆₅




(IV)₆₆




(IV)₆₇




(IV)₆₈




(IV)₆₉




(IV)₇₀




(IV)₇₁




(IV)₇₂




(IV)₇₃




(IV)₇₄



(IV)₇₅



(IV)₇₆



(IV)₇₇

668020 62509660

— at least one thickening polymer is chosen from:

nonionic amphiphilic polymers chosen from: polyethylene glycol (15) nonylphenyl ether; cetyl hydroxyethylcellulose, copolymers of vinylpyrrolidone/hexadecene, vinylpyrrolidone/eicosene, copolymers of oxyethylenated methyl methacrylate/stearyl acrylate, diurethane (HMD) of oxyethylenated (66 EO) and oxypropylenated (14 PO) C₁₆-C₁₈ alcohols, and polyethylene glycol methacrylate/lauryl methacrylate;

anionic amphiphilic polymers chosen from: crosslinked terpolymers of methacrylic acid, of ethyl acrylate and of Steareth-10 allyl ether; crosslinked terpolymers of methacrylic acid/ethylacrylate/steareth 10 allyl ether; polymers of acrylic acid and of lauryl methacrylate; polymers formed from a mixture of acrylic acid and lauryl methacrylate monomers; and crosspolymers of acrylates/C₁₀-C₃₀ alkyl acrylates and crosspolymers of acrylic acid/C₁₀-C₃₀ alkyl acrylate;




cationic amphiphilic polymers chosen from: polyquaternium-24, PG-hydroxyethylcellulose lauryldiammonium chloride, PG-hydroxyethylcellulose cocodiammonium chloride, and PG-hydroxyethylcellulose stearyldiammonium chloride.

87. The process according to claim 86, further comprising washing said fibers with shampoo, rinsing said fibers and drying said fibers.

88. A process for dyeing fibers, comprising applying a ready-to-use

composition for the oxidation dyeing of fibers to said fibers and developing for a period of time sufficient to achieve the desired coloration, wherein said composition comprises:

- at least one cationic direct dye chosen from compounds of formulae (I1), (I14), and (I27) below:



; and

89. The process according to claim 88, further comprising washing said fibers with shampoo, rinsing said fibers and drying said fibers.

separately storing a first composition,

separately storing a second composition,

thereafter mixing said first and second compositions,

applying said mixture to said fibers, and


developing for a period of time sufficient to achieve the desired coloration,

- wherein said first composition comprises at least one cationic direct dye chosen from compounds of formulae (I), (II), (III), (III') and (IV) below,

(i) at least one cationic direct dye chosen from compounds of formulae (I),

(II), (III), (III') and (IV) below, and

(a) wherein said compounds of formula (I) are chosen from compounds of formula:



in which:
















D is chosen from a nitrogen atom and a -CH group,


R_1 and R_2 , which may be identical or different, are chosen from a hydrogen atom; a 4'-aminophenyl radical; and C_1 - C_4 alkyl radicals which can optionally be substituted with a radical chosen from -CN, -OH and - NH_2 radicals or form, with each other or a carbon atom of the benzene ring of formula (I), a heterocycle optionally containing a heteroatom chosen from oxygen and nitrogen, which can be substituted with at least one radical chosen from C_1 - C_4 alkyl radicals;

R_3 and R'_3 , which may be identical or different, are chosen from a hydrogen atom, halogen atoms, a cyano radical, C_1 - C_4 alkyl radicals, C_1 - C_4 alkoxy radicals and acetyloxy radicals,


X^- is chosen from anions,

A is chosen from structures A_1 to A_{19} below:






A₁₆




A₁₇



A₁₈

and



A₁₉

in which:


R₄ is chosen from C₁-C₄ alkyl radicals which can be substituted with a hydroxyl radical, and

R₅ is chosen from C₁-C₄ alkoxy radicals, and

wherein when D represents -CH, when A represents A₄ or A₁₃ and when R₃ is not an alkoxy radical, R₁ and R₂ are not both a hydrogen atom;

(b) wherein said compounds of formula (II) are chosen from compounds of

formula:



in which:


R_6 is chosen from a hydrogen atom and C_1 - C_4 alkyl radicals,

R_7 is chosen from a hydrogen atom, alkyl radicals which can be substituted with a species chosen from a -CN radical and an amino group, and a 4'-aminophenyl radical, or forms, with R_6 , a heterocycle optionally comprising at least one heteroatom chosen from oxygen and nitrogen, which can be substituted with C_1 - C_4 alkyl radicals,

R_8 and R_9 , which may be identical or different, are chosen from a hydrogen atom, halogen atoms, C_1 - C_4 alkyl radicals C_1 - C_4 alkoxy radicals and a -CN radical,

X^- is chosen from anions,

B is chosen from structures B_1 to B_6 below:




in which:


R_{10} is chosen from C_1 - C_4 alkyl radicals, and

R_{11} and R_{12} , which may be identical or different, are chosen from a hydrogen atom and C_1 - C_4 alkyl radicals;

(c) wherein said compounds of formulae (III) and (III') are chosen from compounds of formulae:



(III)



(III')

in which:

R_{13} is chosen from a hydrogen atom, C_1 - C_4 alkoxy radicals, halogen atoms and an amino radical,

R_{14} is chosen from a hydrogen atom, C_1 - C_4 alkyl radicals or forms, with a carbon atom of the benzene ring, a heterocycle optionally containing an oxygen heteroatom and/or substituted with at least one to radical chosen from C_1 - C_4 alkyl radicals,

R_{15} is chosen from a hydrogen atom and halogen atoms,

R_{16} and R_{17} , which may be identical or different, are chosen from a hydrogen atom and C_1 - C_4 alkyl radicals,

D_1 and D_2 , which may be identical or different, are chosen from a nitrogen atom and a -CH group,


$m = 0$ or 1 ,

wherein when R_{13} is an unsubstituted amino group, D_1 and D_2 are both a -CH


group and $m = 0$,

X^- is chosen from anions,


E is chosen from structures E_1 to E_8 below:




E1




E2




E3




E4



E5




E6




E7

and

**E8**


in which R' is chosen from C₁-C₄ alkyl radicals;

wherein when $m = 0$ and when D_1 represents a nitrogen atom, E can be further chosen from structure E9 below:




in which R' is chosen from C₁-C₄ alkyl radicals;

(d) wherein said compounds of formula (IV) are chosen from compounds of formula:




in which:


G is chosen from structures G₁ to G₃ below:



G₁



G₂



G₃

in which:

R₁₈ is chosen from C₁-C₄ alkyl radicals and a phenyl radical which can optionally be substituted with C₁-C₄ alkyl radicals or a halogen atom chosen from chlorine, bromine, iodine and fluorine;

R₁₉ is chosen from C₁-C₄ radicals and a phenyl radical;

R₂₀ and R₂₁, which may be identical or different, are chosen from C₁-C₄ alkyl radicals and a phenyl radical, or

together form, in G₁, a benzene ring substituted with at least one radical chosen from C₁-C₄ alkyl radicals, C₁-C₄ alkoxy radicals and NO₂ radicals, or

together form, in G_2 , a benzene ring optionally substituted with at least one radical chosen from C_1 - C_4 alkyl radicals, C_1 - C_4 alkoxy radicals and NO_2 radicals;

R_{20} can be further chosen from a hydrogen atom;

Z is chosen from an oxygen atom, a sulphur atom and $-NR_{19}$ radicals;

M is chosen from a $-CH$ radical, $-C(C_1$ - C_4 alkyl) radicals and $-N^+R_{22}(X^-)_r$ radicals;

K is chosen from a $-CH$ radical, $-C(C_1$ - C_4 alkyl) radicals and $-N^+R_{22}(X^-)_r$ radicals;

P is chosen from a $-CH$ radical, $-C(C_1$ - C_4 alkyl) radicals and $-N^+R_{22}(X^-)_r$ radicals;

wherein r denotes zero or 1;

wherein R_{22} is chosen from an O^- anion, C_1 - C_4 alkoxy radicals, and C_1 - C_4 alkyl radicals;

R_{23} and R_{24} , which may be identical or different, are chosen from a hydrogen atom, halogen atoms chosen from chlorine, bromine, iodine and fluorine, C_1 - C_4 alkyl radicals, C_1 - C_4 alkoxy radicals and an $-NO_2$ radical;

X^- is chosen from anions;

wherein if R_{22} is O^- , r is zero;

wherein if K or P or M is C_1 - C_4 $-N^+$ -alkyl X^- , either R_{23} or R_{24} is not a hydrogen atom;

wherein if K is $-N^+R_{22}(X^-)_r$, M and P are the same and are chosen from a -CH radical and $-C(C_1-C_4 \text{ alkyl})$ radicals;

wherein if M denotes $-N^+R_{22}(X^-)_r$, K and P are the same and are chosen from a -CH radical and $-C(C_1-C_4 \text{ alkyl})$ radicals;


if P is $-N^+R_{22}(X^-)_r$, K and M are the same and are chosen from a -CH radical and $-C(C_1-C_4 \text{ alkyl})$ radicals;

if Z is a sulphur atom with R_{21} being a radical chosen from C_1-C_4 alkyl radicals, R_{20} is not a hydrogen atom,

if Z is $-NR_{22}$ with R_{19} being a radical chosen from C_1-C_4 alkyl radicals, at least one of the radicals R_{18} , R_{20} and R_{21} of G_2 is not chosen from C_1-C_4 alkyl radicals;

J is chosen from:

(1) radicals chosen from structure J_1 below:



J_1

in which:

R_{25} is chosen from a hydrogen atom, halogen atoms chosen from chlorine, bromine, iodine and fluorine, C_1-C_4 alkyl radicals, C_1-C_4 alkoxy radicals, an -OH radical, an $-NO_2$ radical, $-NHR_{28}$ radicals, $-NR_{29}R_{30}$ radicals, $-NHCO(C_1-C_4 \text{ alkyl})$ radicals, or forms, with R_{26} , a 5- or 6-membered ring optionally containing at least

R_{26} is chosen from a hydrogen atom, halogen atoms chosen from chlorine, bromine, iodine and fluorine, C_1 - C_4 alkyl radicals, C_1 - C_4 alkoxy radicals or forms, with R_{27} or R_{28} , a 5- or 6-membered ring optionally containing at least one heteroatom chosen from nitrogen, oxygen and sulphur;

R₂₈ is chosen from a hydrogen atom, C₁-C₄ alkyl radicals, C₁-C₄ monohydroxyalkyl radicals, C₂-C₄ polyhydroxyalkyl radicals and a phenyl radical;

R₂₉ and R₃₀, which may be identical or different, are chosen from C₁-C₄ alkyl radicals, C₁-C₄ monohydroxyalkyl radicals and C₂-C₄ polyhydroxyalkyl radicals;

(2) 5- and 6-membered nitrogenous heterocyclic groups optionally containing other heteroatoms and/or carbonyl groups and optionally substituted with at least one radical chosen from C₁-C₄ alkyl radicals, an amino radical, a phenyl radical, and

– wherein said second composition comprises at least one oxidizing agent and at least one thickening polymer,

— wherein said at least one thickening polymer is chosen from polymers comprising:

(ii)₁ - nonionic amphiphilic polymers, comprising: at least one hydrophilic unit and at least one unit comprising a fatty chain;

(ii)₂ - anionic amphiphilic polymers, comprising: at least one hydrophilic unit and at least one unit comprising a fatty chain; and

(ii)₃ - cationic amphiphilic polymers, comprising at least one hydrophilic unit and at least one unit comprising a fatty chain.

91 A process for dyeing fibers, comprising:

separately storing a first composition,







separately storing a second composition,






thereafter mixing said first and second compositions,






applying said mixture to said fibers, and






developing for a period of time sufficient to achieve the desired coloration,






- wherein said first composition comprises at least one cationic direct dye chosen from:































663040 6250560








05725.0435-00000




















66040" 643560

LAW OFFICES



FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, DC 20005
202-408-4000



























and























66320-625553


LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, DC 20005
202-408-4000







65020" 64303260




(IV)₁₃




(IV)₁₄



(IV)₁₅




(IV)₁₆




(IV)₁₇







(IV)₂₄



(IV)₂₅




(IV)₂₆








(IV)₂₇

CH₃SO₄⁻



(IV)₂₈





CH₃SO₄⁻




05725.0435-00000


LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, DC 20005
202-408-4000







(IV)₃₈



(IV)₃₉



(IV)₄₀




(IV)₄₁


660435-00000

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, DC 20005
202-408-4000




(IV)₄₂




(IV)₄₃




(IV)₄₄




(IV)₄₅




(IV)₄₆




(IV)₄₇



(IV)₄₈



(IV)₄₉




(IV)₅₀


662020 64505660

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, DC 20005
202-408-4000




(IV)₅₁




(IV)₅₂



(IV)₅₃




(IV)₅₄




(IV)₅₅


663020 663020 663020




(IV)₅₆




(IV)₅₇




(IV)₅₈




(IV)₅₉




(IV)₆₀




(IV)₆₁



(IV)₆₂




(IV)₆₃




(IV)₆₄


CH₃SO₄⁻




(IV)₆₅




(IV)₆₆




(IV)₆₇




(IV)₆₈




(IV)₆₉




(IV)₇₀



(IV)₇₁



(IV)₇₂




(IV)₇₃


662343 623560

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, DC 20005
202-408-4000




(IV)₇₄



(IV)₇₅



(IV)₇₆



(IV)₇₇

- wherein said second composition comprises at least one oxidizing agent and at least one thickening polymer,
 - wherein said at least one oxidizing agent is chosen from:
hydrogen peroxide, urea peroxide, alkali metal bromates, persalts, and enzymes;
and
 - wherein said at least one thickening polymer is chosen from:
nonionic amphiphilic polymers chosen from: polyethylene glycol (15) nonylphenyl ether; cetyl hydroxyethylcellulose, copolymers of vinylpyrrolidone/hexadecene, vinylpyrrolidone/eicosene, copolymers of oxyethylenated methyl methacrylate/stearyl acrylate, diurethane (HMD) of oxyethylenated (66 EO) and oxypropylenated (14 PO) C₁₆-C₁₈ alcohols, and polyethylene glycol methacrylate/lauryl methacrylate;
anionic amphiphilic polymers chosen from: crosslinked terpolymers of methacrylic acid, of ethyl acrylate and of Steareth-10 allyl ether; crosslinked terpolymers of methacrylic acid/ethylacrylate/steareth 10 allyl ether; polymers of acrylic acid and of lauryl methacrylate; polymers formed from a mixture of acrylic acid and lauryl methacrylate monomers; and crosspolymers of acrylates/C₁₀-C₃₀ alkyl acrylates and crosspolymers of acrylic acid/C₁₀-C₃₀ alkyl acrylate;
cationic amphiphilic polymers chosen from: polyquarternium-24, PG-hydroxyethylcellulose lauryldiammonium chloride, PG-hydroxyethylcellulose cocodiammonium chloride, and PG-hydroxyethylcellulose stearyldiammonium chloride.

66020-63030

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, DC 20005
202-408-4000

92. A process for dyeing fibers, comprising:

separately storing a first composition,

separately storing a second composition,

thereafter mixing said first and second compositions,


applying said mixture to said fibers, and

developing for a period of time sufficient to achieve the desired coloration,

wherein said first composition comprises at least one cationic direct dye and at least one thickening polymer,

(i) at least one cationic direct dye chosen from compounds of formulae (I), (II), (III), (III') and (IV) below,

(a) wherein said compounds of formula (I) are chosen from compounds of formula:



in which:

D is chosen from a nitrogen atom and a -CH group,

R₁ and R₂, which may be identical or different, are chosen from a hydrogen atom;

a 4'-aminophenyl radical; and C₁-C₄ alkyl radicals which can optionally be substituted with a radical chosen from -CN, -OH and -NH₂ radicals or form, with each other or a
















carbon atom of the benzene ring of formula (I), a heterocycle optionally containing a heteroatom chosen from oxygen and nitrogen, which can be substituted with at least one radical chosen from C₁-C₄ alkyl radicals;

R₃ and R'₃, which may be identical or different, are chosen from a hydrogen atom, halogen atoms, a cyano radical, C₁-C₄ alkyl radicals, C₁-C₄ alkoxy radicals and acetyloxy radicals,


X⁻ is chosen from anions,

A is chosen from structures A₁ to A₁₉ below:


658040-6309260




60020-6250560



A₁₆




A₁₇



A₁₈

and



A₁₉


in which:

R₄ is chosen from C₁-C₄ alkyl radicals which can be substituted with a hydroxyl radical, and

R₅ is chosen from C₁-C₄ alkoxy radicals, and

wherein when D represents -CH, when A represents A₄ or A₁₃ and when R₃ is not an alkoxy radical, R₁ and R₂ are not both a hydrogen atom;

(b) wherein said compounds of formula (II) are chosen from compounds of formula:



in which:


R_6 is chosen from a hydrogen atom and C_1 - C_4 alkyl radicals,


R_7 is chosen from a hydrogen atom, alkyl radicals which can be substituted with a species chosen from a -CN radical and an amino group, and a 4'-aminophenyl radical, or forms, with R_6 , a heterocycle optionally comprising at least one heteroatom chosen from oxygen and nitrogen, which can be substituted with C_1 - C_4 alkyl radicals,

R_8 and R_9 , which may be identical or different, are chosen from a hydrogen atom, halogen atoms, C_1 - C_4 alkyl radicals C_1 - C_4 alkoxy radicals and a -CN radical,

X^- is chosen from anions,

B is chosen from structures B_1 to B_6 below:






in which:


R_{10} is chosen from C_1 - C_4 alkyl radicals, and

R_{11} and R_{12} , which may be identical or different, are chosen from a hydrogen atom and C_1 - C_4 alkyl radicals;

(c) wherein said compounds of formulae (III) and (III') are chosen from compounds of formulae:



(III)



(III')

in which:

R_{13} is chosen from a hydrogen atom, C_1 - C_4 alkoxy radicals, halogen atoms and an amino radical,

R_{14} is chosen from a hydrogen atom, C_1 - C_4 alkyl radicals or forms, with a carbon atom of the benzene ring, a heterocycle optionally containing an oxygen heteroatom and/or substituted with at least one to radical chosen from C_1 - C_4 alkyl radicals,

R_{15} is chosen from a hydrogen atom and halogen atoms,

R_{16} and R_{17} , which may be identical or different, are chosen from a hydrogen atom and C_1 - C_4 alkyl radicals,


D_1 and D_2 , which may be identical or different, are chosen from a nitrogen atom and a -CH group,

$m = 0$ or 1 ,


wherein when R_{13} is an unsubstituted amino group, D_1 and D_2 are both a -CH group and $m = 0$,

X⁻ is chosen from anions,


E is chosen from structures E₁ to E₈ below:




E1




E2




E3




E4



E5




E6



E7


and



E8

in which R' is chosen from C₁-C₄ alkyl radicals;

wherein when m = 0 and when D₁ represents a nitrogen atom, E can be further chosen from structure E9 below:



E9




in which R' is chosen from C₁-C₄ alkyl radicals;

(d) wherein said compounds of formula (IV) are chosen from compounds of formula:



in which:

G is chosen from structures G₁ to G₃ below:



in which:

R_{18} is chosen from C_1 - C_4 alkyl radicals and a phenyl radical which can optionally be substituted with C_1 - C_4 alkyl radicals or a halogen atom chosen from chlorine, bromine, iodine and fluorine;

R_{19} is chosen from C_1 - C_4 radicals and a phenyl radical;

R_{20} and R_{21} , which may be identical or different, are chosen from C_1 - C_4 alkyl radicals and a phenyl radical, or

together form, in G_1 , a benzene ring substituted with at least one radical chosen from C_1 - C_4 alkyl radicals, C_1 - C_4 alkoxy radicals and NO_2 radicals, or

together form, in G_2 , a benzene ring optionally substituted with at least one radical chosen from C_1 - C_4 alkyl radicals, C_1 - C_4 alkoxy radicals and NO_2 radicals;

R_{20} can be further chosen from a hydrogen atom;

Z is chosen from an oxygen atom, a sulphur atom and $-NR_{19}$ radicals;

M is chosen from a $-CH$ radical, $-C(C_1-C_4 \text{ alkyl})$ radicals and $-N^+R_{22}(X^-)_r$ radicals;

K is chosen from a $-CH$ radical, $-C(C_1-C_4 \text{ alkyl})$ radicals and $-N^+R_{22}(X^-)_r$ radicals;

P is chosen from a $-CH$ radical, $-C(C_1-C_4 \text{ alkyl})$ radicals and $-N^+R_{22}(X^-)_r$ radicals;

wherein r denotes zero or 1;

wherein R_{22} is chosen from an O^- anion, C_1 - C_4 alkoxy radicals, and C_1 - C_4 alkyl radicals;

R_{23} and R_{24} , which may be identical or different, are chosen from a hydrogen atom, halogen atoms chosen from chlorine, bromine, iodine and fluorine, C_1 - C_4 alkyl radicals, C_1 - C_4 alkoxy radicals and an $-NO_2$ radical;

X^- is chosen from anions;

wherein if R_{22} is O^- , r is zero;

wherein if K or P or M is C_1 - C_4 $-N^+$ -alkyl X^- , either R_{23} or R_{24} is not a hydrogen atom;

wherein if K is $-N^+R_{22}(X^-)_r$, M and P are the same and are chosen from a $-CH$ radical and $-C(C_1-C_4 \text{ alkyl})$ radicals;

wherein if M denotes $-N^+R_{22}(X^-)_r$, K and P are the same and are chosen from a $-CH$ radical and $-C(C_1-C_4 \text{ alkyl})$ radicals;


if P is $-N^+R_{22}(X^-)$, K and M are the same and are chosen from a -CH radical and -C(C₁-C₄ alkyl) radicals;

if Z is a sulphur atom with R₂₁ being a radical chosen from C₁-C₄ alkyl radicals, R₂₀ is not a hydrogen atom;

if Z is -NR₂₂ with R₁₉ being a radical chosen from C₁-C₄ alkyl radicals, at least one of the radicals R₁₈, R₂₀ and R₂₁ of G₂ is not chosen from C₁-C₄ alkyl radicals;

J is chosen from:

(1) radicals chosen from structure J₁ below:



J₁

in which:

R₂₅ is chosen from a hydrogen atom, halogen atoms chosen from chlorine, bromine, iodine and fluorine, C₁-C₄ alkyl radicals, C₁-C₄ alkoxy radicals, an -OH radical, an -NO₂ radical, -NHR₂₈ radicals, -NR₂₉R₃₀ radicals, -NHCO (C₁-C₄) alkyl radicals, or forms, with R₂₆, a 5- or 6-membered ring optionally containing at least one heteroatom chosen from nitrogen, oxygen and sulphur;

R₂₆ is chosen from a hydrogen atom, halogen atoms chosen from chlorine, bromine, iodine and fluorine, C₁-C₄ alkyl radicals, C₁-C₄ alkoxy radicals or forms, with R₂₇ or R₂₈, a 5- or 6-membered ring optionally containing at least one heteroatom chosen from nitrogen, oxygen and sulphur;

R_{27} is chosen from a hydrogen atom, an -OH radical, $-NHR_{28}$ radicals and $-NR_{29}R_{30}$ radicals;

R_{28} is chosen from a hydrogen atom, C_1 - C_4 alkyl radicals, C_1 - C_4 monohydroxyalkyl radicals, C_2 - C_4 polyhydroxyalkyl radicals and a phenyl radical;

R_{29} and R_{30} , which may be identical or different, are chosen from C_1 - C_4 alkyl radicals, C_1 - C_4 monohydroxyalkyl radicals and C_2 - C_4 polyhydroxyalkyl radicals;

(2) 5- and 6-membered nitrogenous heterocyclic groups optionally containing other heteroatoms and/or carbonyl groups and optionally substituted with at least one radical chosen from C_1 - C_4 alkyl radicals, an amino radical, a phenyl radical, and

— wherein said at least one thickening polymer is chosen from polymers comprising:

(ii)₁ - nonionic amphiphilic polymers, comprising: at least one hydrophilic unit and at least one unit comprising a fatty chain;

(ii)₂ - anionic amphiphilic polymers, comprising: at least one hydrophilic unit and at least one unit comprising a fatty chain; and

(ii)₃ - cationic amphiphilic polymers, comprising at least one hydrophilic unit and at least one unit comprising a fatty chain; and

— wherein said second composition comprises at least one oxidizing agent.

93. A process for dyeing fibers, comprising:

separately storing a first composition,

separately storing a second composition,

thereafter mixing said first and second compositions,







applying said mixture to said fibers, and






developing for a period of time sufficient to achieve the desired coloration,

- wherein said first composition comprises at least one cationic direct dye and at least one thickening polymer,






- wherein said at least one cationic direct dye is chosen from:

05725.0435-00000















668040 6488660








668020 6250560










668020 668020



66020 643500

LAW OFFICES






FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000



663040" 6/505660

LAW OFFICES






FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000












000020" 62509260






LAW OFFICES





FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000











66040 6450500


LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000














(IV)₁




(IV)₂




(IV)₃









(IV)₄




(IV)₅




(IV)₆




6630" 6290360




(IV)₁₃




(IV)₁₄



(IV)₁₅



(IV)₁₆




(IV)₁₇


663020 6250560

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000




(IV)₁₈




(IV)₁₉




(IV)₂₀



(IV)₂₁



(IV)₂₂




(IV)₂₃


66342 643560

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000




(IV)₂₄



(IV)₂₅




(IV)₂₆



(IV)₂₇


CH₃SO₄⁻




(IV)₂₈

CH₃SO₄⁻







(IV)₃₄




(IV)₃₅




(IV)₃₆




(IV)₃₇




(IV)₃₈



(IV)₃₉



(IV)₄₀




(IV)₄₁


000020"04350000

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000




(IV)₄₂




(IV)₄₃




(IV)₄₄




(IV)₄₅




(IV)₄₆




(IV)₄₇



(IV)₄₈



(IV)₄₉




(IV)₅₀


668020"6250560

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000




(IV)₅₁




(IV)₅₂



(IV)₅₃



(IV)₅₄




(IV)₅₅


66020" 64503260

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000




(IV)₅₆



(IV)₅₇



(IV)₅₈




(IV)₅₉


668020 62809260

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000




(IV)₆₀




(IV)₆₁



(IV)₆₂



(IV)₆₃




(IV)₆₄


663020 6430560

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000




(IV)₆₅



(IV)₆₆



(IV)₆₇




(IV)₆₈


LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000







(IV)₇₄



(IV)₇₅



(IV)₇₆



(IV)₇₇

000020-64505260

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000

- wherein said at least one thickening polymer is chosen from:

nonionic amphiphilic polymers chosen from: polyethylene glycol (15) nonylphenyl ether; cetyl hydroxyethylcellulose, copolymers of vinylpyrrolidone/hexadecene, vinylpyrrolidone/eicosene, copolymers of oxyethylenated methyl methacrylate/stearyl acrylate, diurethane (HMD) of oxyethylenated (66 EO) and oxypropylenated (14 PO) C₁₆-C₁₈ alcohols, and polyethylene glycol methacrylate/lauryl methacrylate;

anionic amphiphilic polymers chosen from: crosslinked terpolymers of methacrylic acid, of ethyl acrylate and of Steareth-10 allyl ether; crosslinked terpolymers of methacrylic acid/ethylacrylate/steareth 10 allyl ether; polymers of acrylic acid and of lauryl methacrylate; polymers formed from a mixture of acrylic acid and lauryl methacrylate monomers; and crosspolymers of acrylates/C₁₀-C₃₀ alkyl acrylates and crosspolymers of acrylic acid/C₁₀-C₃₀ alkyl acrylate;

cationic amphiphilic polymers chosen from: polyquarternium-24, PG-hydroxyethylcellulose lauryldiammonium chloride, PG-hydroxyethylcellulose cocodiammonium chloride, and PG-hydroxyethylcellulose stearyldiammonium chloride; and

- wherein said second composition comprises at least one oxidizing agent chosen from: hydrogen peroxide, urea peroxide, alkali metal bromates, persalts, and enzymes.


94. A process for dyeing fibers, comprising:

separately storing a first composition,

separately storing a second composition,

thereafter mixing said first and second compositions,
 applying said mixture to said fibers, and
 developing for a period of time sufficient to achieve the desired coloration,
 - wherein said first composition comprises at least one cationic direct dye chosen from compounds of formulae (I), (II), (III), (III') and (IV) below and at least one oxidation base;

(a) wherein said compounds of formula (I) are chosen from compounds of formula:



in which:

D is chosen from a nitrogen atom and a -CH group,


R_1 and R_2 , which may be identical or different, are chosen from a hydrogen atom; a 4'-aminophenyl radical; and C_1 - C_4 alkyl radicals which can optionally be substituted with a radical chosen from -CN, -OH and - NH_2 radicals or form, with each other or a carbon atom of the benzene ring of formula (I), a heterocycle optionally containing a heteroatom chosen from oxygen and nitrogen, which can be substituted with at least one radical chosen from C_1 - C_4 alkyl radicals;

R_3 and R'_3 , which may be identical or different, are chosen from a hydrogen atom, halogen atoms, a cyano radical, C_1 - C_4 alkyl radicals, C_1 - C_4 alkoxy radicals and acetyloxy radicals,


X^- is chosen from anions,

A is chosen from structures A_1 to A_{19} below:


66343-643663




A₁




A₂




A₃




A₄




A₅




A₆




A₇




A₈




A₉




A₁₀




A₁₁




A₁₂



A₁₃



A₁₄




A₁₅


668020 62505660

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000



A₁₆




A₁₇



A₁₈

and



A₁₉


in which:

R₄ is chosen from C₁-C₄ alkyl radicals which can be substituted with a hydroxyl radical, and

R₅ is chosen from C₁-C₄ alkoxy radicals, and

wherein when D represents -CH, when A represents A₄ or A₁₃ and when R₃ is not an alkoxy radical, R₁ and R₂ are not both a hydrogen atom;

(b) wherein said compounds of formula (II) are chosen from compounds of formula:



in which:


R_6 is chosen from a hydrogen atom and C_1 - C_4 alkyl radicals,

R_7 is chosen from a hydrogen atom, alkyl radicals which can be substituted with a species chosen from a -CN radical and an amino group, and a 4'-aminophenyl radical, or forms, with R_6 , a heterocycle optionally comprising at least one heteroatom chosen from oxygen and nitrogen, which can be substituted with C_1 - C_4 alkyl radicals,

R_8 and R_9 , which may be identical or different, are chosen from a hydrogen atom, halogen atoms, C_1 - C_4 alkyl radicals C_1 - C_4 alkoxy radicals and a -CN radical,


X^- is chosen from anions,

B is chosen from structures B_1 to B_6 below:




LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000




B4



B5

and



B6

in which:

R_{10} is chosen from C_1 - C_4 alkyl radicals, and


R_{11} and R_{12} , which may be identical or different, are chosen from a hydrogen atom and C_1 - C_4 alkyl radicals;

(c) wherein said compounds of formulae (III) and (III') are chosen from compounds of formulae:


665020" 62505663

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000



(III)



(III')

in which:

R_{13} is chosen from a hydrogen atom, C_1 - C_4 alkoxy radicals, halogen atoms and an amino radical,

R_{14} is chosen from a hydrogen atom, C_1 - C_4 alkyl radicals or forms, with a carbon atom of the benzene ring, a heterocycle optionally containing an oxygen heteroatom and/or substituted with at least one to radical chosen from C_1 - C_4 alkyl radicals,

R_{15} is chosen from a hydrogen atom and halogen atoms,

R_{16} and R_{17} , which may be identical or different, are chosen from a hydrogen atom and C_1 - C_4 alkyl radicals,

D_1 and D_2 , which may be identical or different, are chosen from a nitrogen atom and a -CH group,

$m = 0$ or 1 ,

wherein when R_{13} is an unsubstituted amino group, D_1 and D_2 are both a -CH group and $m = 0$,

05725.0435-00000


LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000

E is chosen from structures E_1 to E_8 below:




and



E8

in which R' is chosen from C₁-C₄ alkyl radicals;


wherein when m = 0 and when D₁ represents a nitrogen atom, E can be further chosen from structure E9 below:



E9




in which R' is chosen from C₁-C₄ alkyl radicals;

(d) wherein said compounds of formula (IV) are chosen from compounds of formula:



in which:

G is chosen from structures G₁ to G₃ below:



in which:

R_{18} is chosen from C_1 - C_4 alkyl radicals and a phenyl radical which can optionally be substituted with C_1 - C_4 alkyl radicals or a halogen atom chosen from chlorine, bromine, iodine and fluorine;

R_{19} is chosen from C_1 - C_4 radicals and a phenyl radical;


R_{20} and R_{21} , which may be identical or different, are chosen from C_1 - C_4 alkyl radicals and a phenyl radical, or

together form, in G_1 , a benzene ring substituted with at least one radical chosen from C_1 - C_4 alkyl radicals, C_1 - C_4 alkoxy radicals and NO_2 radicals, or

if Z is a sulphur atom with R_{20} being a radical chosen from C_1 - C_4 alkyl radicals,
 R_{20} is not a hydrogen atom;

if Z is -NR₂₂ with R₁₉ being a radical chosen from C₁-C₄ alkyl radicals, at least one of the radicals R₁₈, R₂₀ and R₂₁ of G₂ is not chosen from C₁-C₄ alkyl radicals;

(1) radicals chosen from structure J₁ below:



R_{25} is chosen from a hydrogen atom, halogen atoms chosen from chlorine, bromine, iodine and fluorine, C_1 - C_4 alkyl radicals, C_1 - C_4 alkoxy radicals, an -OH radical, an -NO₂ radical, -NHR₂₈ radicals, -NR₂₉R₃₀ radicals, -NHCO (C_1 - C_4) alkyl radicals, or forms, with R_{26} , a 5- or 6-membered ring optionally containing at least one heteroatom chosen from nitrogen, oxygen and sulphur;

R_{26} is chosen from a hydrogen atom, halogen atoms chosen from chlorine, bromine, iodine and fluorine, C_1 - C_4 alkyl radicals, C_1 - C_4 alkoxy radicals or forms, with R_{27} or R_{28} , a 5- or 6-membered ring optionally containing at least one heteroatom chosen from nitrogen, oxygen and sulphur;

R_{27} is chosen from a hydrogen atom, an -OH radical, -NHR₂₈ radicals and -NR₂₉R₃₀ radicals;

R_{28} is chosen from a hydrogen atom, C₁-C₄ alkyl radicals, C₁-C₄ monohydroxyalkyl radicals, C₂-C₄ polyhydroxyalkyl radicals and a phenyl radical;

R_{29} and R_{30} , which may be identical or different, are chosen from C₁-C₄ alkyl radicals, C₁-C₄ monohydroxyalkyl radicals and C₂-C₄ polyhydroxyalkyl radicals;

(2) 5- and 6-membered nitrogenous heterocyclic groups optionally containing other heteroatoms and/or carbonyl groups and optionally substituted with at least one radical chosen from C₁-C₄ alkyl radicals, an amino radical, a phenyl radical, and

- wherein said second composition comprises at least one oxidizing agent and at least one thickening polymer,

- wherein said at least one thickening polymer is chosen from polymers comprising:

(ii)₁ - nonionic amphiphilic polymers, comprising: at least one hydrophilic unit and at least one unit comprising a fatty chain;

(ii)₂ - anionic amphiphilic polymers, comprising: at least one hydrophilic unit and at least one unit comprising a fatty chain; and

(ii)₃ - cationic amphiphilic polymers, comprising at least one hydrophilic unit and at least one unit comprising a fatty chain.

95. A process for dyeing fibers, comprising:

separately storing a first composition,

separately storing a second composition,

thereafter mixing said first and second compositions,







applying said mixture to said fibers, and

developing for a period of time sufficient to achieve the desired coloration,

- wherein said first composition comprises at least one cationic direct dye and at least one oxidation base,

- wherein said at least one cationic direct dye is chosen from:






05725.0435-00000








603000-643560

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000















668020 62509E60

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000










05725.0435-00000

LAW OFFICES






FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000













668020"6250560






LAW OFFICES





FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000
















668020 62905660

LAW OFFICES



FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000





663020-6459660

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000









and



668020-6250560













668040"6250560


LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000







660435-00000




(IV)₁




(IV)₂




(IV)₃









(IV)₄




(IV)₅




(IV)₆




66301623663




(IV)₁₃




(IV)₁₄



(IV)₁₅



(IV)₁₆




(IV)₁₇


662020" 62309200

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000




(IV)₁₈




(IV)₁₉




(IV)₂₀



(IV)₂₁



(IV)₂₂




(IV)₂₃


662020 6/5/96

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000




(IV)₂₄



(IV)₂₅




(IV)₂₆



(IV)₂₇

CH₃SO₄⁻




(IV)₂₈

CH₃SO₄⁻












(IV)₄₂




(IV)₄₃



(IV)₄₄



(IV)₄₅




(IV)₄₆


665020"62505E60

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000



(IV)₄₈




(IV)₄₉




(IV)₅₀







(IV)₅₆



(IV)₅₇



(IV)₅₈




(IV)₅₉


003579 070890 668020 62505600

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000




(IV)₆₀




(IV)₆₁



(IV)₆₂




(IV)₆₃




(IV)₆₄


CH₃SO₄⁻




(IV)₆₅



(IV)₆₆



(IV)₆₇




(IV)₆₈


09360379.070860

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000




(IV)₆₉




(IV)₇₀



(IV)₇₁



(IV)₇₂



(IV)₇₃



- Q. Now, you said that the defendant was not present at the time of the shooting; is that right?

cationic amphiphilic polymers chosen from: polyquarternium-24, PG-hydroxyethylcellulose lauryldiammonium chloride, PG-hydroxyethylcellulose cocodiammonium chloride, and PG-hydroxyethylcellulose stearyldiammonium chloride.

96. A process for dyeing fibers, comprising:

separately storing a first composition,

separately storing a second composition,

thereafter mixing said first and second compositions,


applying said mixture to said fibers, and

developing for a period of time sufficient to achieve the desired coloration,

wherein said first composition comprises:

at least one cationic direct dye chosen from compounds of formulae (I), (II), (III), (III') and (IV) below, at least one thickening polymer; and at least one oxidation base;

(a) wherein said compounds of formula (I) are chosen from compounds of formula:



in which:

D is chosen from a nitrogen atom and a -CH group,

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000

R_1 and R_2 , which may be identical or different, are chosen from a hydrogen atom; a 4'-aminophenyl radical; and C_1 - C_4 alkyl radicals which can optionally be substituted with a radical chosen from -CN, -OH and - NH_2 radicals or form, with each other or a carbon atom of the benzene ring of formula (I), a heterocycle optionally containing a heteroatom chosen from oxygen and nitrogen, which can be substituted with at least one radical chosen from C_1 - C_4 alkyl radicals;

R_3 and R'_3 , which may be identical or different, are chosen from a hydrogen atom, halogen atoms, a cyano radical, C_1 - C_4 alkyl radicals, C_1 - C_4 alkoxy radicals and acetyloxy radicals,


X^- is chosen from anions,

A is chosen from structures A_1 to A_{19} below:


05725.0435-00000

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000




A₁




A₂




A₃




A₄




A₅




A₆



A₇




A₈




A₉




A₁₀




A₁₁




A₁₂



A₁₃




A₁₄




A₁₅

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000



A₁₆




A₁₇



A₁₈

and



A₁₉


in which:

R₄ is chosen from C₁-C₄ alkyl radicals which can be substituted with a hydroxyl radical, and

R₅ is chosen from C₁-C₄ alkoxy radicals, and

wherein when D represents -CH, when A represents A₄ or A₁₃ and when R₃ is not an alkoxy radical, R₁ and R₂ are not both a hydrogen atom;

(b) wherein said compounds of formula (II) are chosen from compounds of formula:



in which:


R_6 is chosen from a hydrogen atom and C_1 - C_4 alkyl radicals,

R_7 is chosen from a hydrogen atom, alkyl radicals which can be substituted with a species chosen from a -CN radical and an amino group, and a 4'-aminophenyl radical, or forms, with R_6 , a heterocycle optionally comprising at least one heteroatom chosen from oxygen and nitrogen, which can be substituted with C_1 - C_4 alkyl radicals,

R_8 and R_9 , which may be identical or different, are chosen from a hydrogen atom, halogen atoms, C_1 - C_4 alkyl radicals C_1 - C_4 alkoxy radicals and a -CN radical,


X^- is chosen from anions,

B is chosen from structures B_1 to B_6 below:




LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000




B4



B5

and



B6

in which:

R_{10} is chosen from C_1 - C_4 alkyl radicals, and


R_{11} and R_{12} , which may be identical or different, are chosen from a hydrogen atom and C_1 - C_4 alkyl radicals;

(c) wherein said compounds of formulae (III) and (III') are chosen from compounds of formulae:


05725.0435-00000

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000



(III)



(III')

in which:

R_{13} is chosen from a hydrogen atom, C_1 - C_4 alkoxy radicals, halogen atoms and an amino radical,

R_{14} is chosen from a hydrogen atom, C_1 - C_4 alkyl radicals or forms, with a carbon atom of the benzene ring, a heterocycle optionally containing an oxygen heteroatom and/or substituted with at least one to radical chosen from C_1 - C_4 alkyl radicals,

R_{15} is chosen from a hydrogen atom and halogen atoms,

R_{16} and R_{17} , which may be identical or different, are chosen from a hydrogen atom and C_1 - C_4 alkyl radicals,

D_1 and D_2 , which may be identical or different, are chosen from a nitrogen atom and a -CH group,

$m = 0$ or 1 ,

wherein when R_{13} is an unsubstituted amino group, D_1 and D_2 are both a -CH group and $m = 0$,


LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000

E is chosen from structures E_1 to E_8 below:




and



E8

in which R' is chosen from C₁-C₄ alkyl radicals;

wherein when m = 0 and when D₁ represents a nitrogen atom, E can be further chosen from structure E9 below:



E9


in which R' is chosen from C₁-C₄ alkyl radicals;

(d) wherein said compounds of formula (IV) are chosen from compounds of formula:




in which:


G is chosen from structures G₁ to G₃ below:



G₁



G₂



G₃

in which:

R₁₈ is chosen from C₁-C₄ alkyl radicals and a phenyl radical which can optionally be substituted with C₁-C₄ alkyl radicals or a halogen atom chosen from chlorine, bromine, iodine and fluorine;

R₁₉ is chosen from C₁-C₄ radicals and a phenyl radical;

R₂₀ and R₂₁, which may be identical or different, are chosen from C₁-C₄ alkyl radicals and a phenyl radical, or

together form, in G₁, a benzene ring substituted with at least one radical
chosen from C₁-C₄ alkyl radicals, C₁-C₄ alkoxy radicals and NO₂ radicals, or

R₂₀ can be further chosen from a hydrogen atom;

M is chosen from a -CH radical, -C(C₁-C₄ alkyl) radicals and -N⁺R₂₂(X⁻)_r radicals;

K is chosen from a -CH radical, -C(C₁-C₄ alkyl) radicals and -N⁺R₂₂(X⁻)_r radicals;

P is chosen from a -CH radical, -C(C₁-C₄ alkyl) radicals and -N⁺R₂₂(X⁻)_r radicals;

wherein r denotes zero or 1;

wherein R_{22} is chosen from an O^- anion, C_1 - C_4 alkoxy radicals, and C_1 - C_4 alkyl radicals;

R₂₃ and R₂₄, which may be identical or different, are chosen from a hydrogen atom, halogen atoms chosen from chlorine, bromine, iodine and fluorine, C₁-C₄ alkyl radicals, C₁-C₄ alkoxy radicals and an -NO₂ radical;

X^- is chosen from anions;

wherein if R_{22} is 0, γ is zero;

wherein if K or P or M is C₁-C₄ -N⁺-alkyl X⁻, either R₂₃ or R₂₄ is not a hydrogen atom;

wherein if K is $-N^+R_{22}(X)_r$, M and P are the same and are chosen from a -CH radical and $-C(C_1-C_4 \text{ alkyl})$ radicals;

wherein if M denotes $-N^+R_{22}(X^-)$, K and P are the same and are chosen from a $-CH$ radical and $-C(C_1-C_4 \text{ alkyl})$ radicals;


if P is $-N^+R_{22}(X^-)_r$, K and M are the same and are chosen from a -CH radical and -C(C₁-C₄ alkyl) radicals;

if Z is a sulphur atom with R₂₁ being a radical chosen from C₁-C₄ alkyl radicals, R₂₀ is not a hydrogen atom;

if Z is -NR₂₂ with R₁₉ being a radical chosen from C₁-C₄ alkyl radicals, at least one of the radicals R₁₈, R₂₀ and R₂₁ of G₂ is not chosen from C₁-C₄ alkyl radicals;

J is chosen from:

(1) radicals chosen from structure J₁ below:



in which:

R₂₅ is chosen from a hydrogen atom, halogen atoms chosen from chlorine, bromine, iodine and fluorine, C₁-C₄ alkyl radicals, C₁-C₄ alkoxy radicals, an -OH radical, an -NO₂ radical, -NHR₂₈ radicals, -NR₂₉R₃₀ radicals, -NHCO (C₁-C₄) alkyl radicals, or forms, with R₂₆, a 5- or 6-membered ring optionally containing at least one heteroatom chosen from nitrogen, oxygen and sulphur;

R₂₆ is chosen from a hydrogen atom, halogen atoms chosen from chlorine, bromine, iodine and fluorine, C₁-C₄ alkyl radicals, C₁-C₄ alkoxy radicals or forms, with R₂₇ or R₂₈, a 5- or 6-membered ring optionally containing at least one heteroatom chosen from nitrogen, oxygen and sulphur;

R_{27} is chosen from a hydrogen atom, an -OH radical, -NHR₂₈ radicals and -NR₂₉R₃₀ radicals;

R_{28} is chosen from a hydrogen atom, C₁-C₄ alkyl radicals, C₁-C₄ monohydroxyalkyl radicals, C₂-C₄ polyhydroxyalkyl radicals and a phenyl radical;

R_{29} and R_{30} , which may be identical or different, are chosen from C₁-C₄ alkyl radicals, C₁-C₄ monohydroxyalkyl radicals and C₂-C₄ polyhydroxyalkyl radicals;

(2) 5- and 6-membered nitrogenous heterocyclic groups optionally containing other heteroatoms and/or carbonyl groups and optionally substituted with at least one radical chosen from C₁-C₄ alkyl radicals, an amino radical, a phenyl radical, and

— wherein said at least one thickening polymer is chosen from polymers comprising:

(ii)₁ - nonionic amphiphilic polymers, comprising: at least one hydrophilic unit and at least one unit comprising a fatty chain;

(ii)₂ - anionic amphiphilic polymers, comprising: at least one hydrophilic unit and at least one unit comprising a fatty chain; and

(ii)₃ - cationic amphiphilic polymers, comprising at least one hydrophilic unit and at least one unit comprising a fatty chain; and

— wherein said second composition comprises at least one oxidizing agent.

- (97.) A process for dyeing fibers, comprising:
separately storing a first composition,
separately storing a second composition,

thereafter mixing said first and second compositions,

applying said mixture to said fibers, and







developing for a period of time sufficient to achieve the desired coloration,

- wherein said first composition comprises at least one cationic direct dye, at least one oxidation base, and at least one thickening polymer,
- wherein said at least one cationic direct dye is chosen from:






05725.0435-00000






LAW OFFICES






FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000



66020 6250560

















66040"6/50560

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000








668040 64305660













668020" 62505260

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000











663020 6453260

LAW OFFICES






FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000



663020 6453560

LAW OFFICES



FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000





668020" 643560







LAW OFFICES







FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000







and












; and







;




; and




663040 6253660




(IV)₁




(IV)₂




(IV)₃



(IV)₄




(IV)₅




(IV)₆

05725.0435-00000


Cc1cccc([n+]1[O-])=N=Nc2ccc(cc2)N(CCO)CCO (IV)₇




(IV)₁₃




(IV)₁₄



(IV)₁₅



(IV)₁₆




(IV)₁₇


668020" 6/50/96 60

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000




(IV)₁₈




(IV)₁₉




(IV)₂₀



(IV)₂₁



(IV)₂₂




(IV)₂₃


063020 6250560

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000




(IV)₂₄



(IV)₂₅




(IV)₂₆



(IV)₂₇

CH₃SO₄⁻




(IV)₂₈

CH₃SO₄⁻


66340-6499660

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000




(IV)₂₉




(IV)₃₀



(IV)₃₁



(IV)₃₂



(IV)₃₃

0950579-070860

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000

Cc1ccccc1[N+]([CH3-])=N=Nc2ccc(Nc3ccccc3)cc2.[O-]S(=O)(=O)C


(IV)₃₄









(IV)₄₇



(IV)₄₈



(IV)₄₉




(IV)₅₀


668020 6/30/96

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000




(IV)₅₁




(IV)₅₂



(IV)₅₃



(IV)₅₄




(IV)₅₅


668020 02305260

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000




(IV)₅₆



(IV)₅₇



(IV)₅₈




(IV)₅₉


668040 62505660

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000




(IV)₆₀




(IV)₆₁



(IV)₆₂



(IV)₆₃




(IV)₆₄


668020" 62505660

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000




(IV)₆₅



(IV)₆₆



(IV)₆₇




(IV)₆₈


66020 6290360

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000




(IV)₇₀




(IV)₇₁




(IV)_{T2}




(IV)₇₃




(IV)₇₄



(IV)₇₅



(IV)₇₆



(IV)₇₇

668020 6250560

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000

- wherein said at least one oxidation base is chosen from:

para-phenylenediamines, bis(phenyl)alkylenediamines, para-aminophenols, ortho-aminophenols and heterocyclic bases;

- wherein said at least one thickening polymer is chosen from:

nonionic amphiphilic polymers chosen from: polyethylene glycol (15) nonylphenyl ether; cetyl hydroxyethylcellulose, copolymers of vinylpyrrolidone/hexadecene, vinylpyrrolidone/eicosene, copolymers of oxyethylenated methyl methacrylate/stearyl acrylate, diurethane (HMD) of oxyethylenated (66 EO) and oxypropylenated (14 PO) C₁₆-C₁₈ alcohols, and polyethylene glycol methacrylate/lauryl methacrylate;

anionic amphiphilic polymers chosen from: crosslinked terpolymers of methacrylic acid, of ethyl acrylate and of Steareth-10 allyl ether; crosslinked terpolymers of methacrylic acid/ethylacrylate/steareth 10 allyl ether; polymers of acrylic acid and of lauryl methacrylate; polymers formed from a mixture of acrylic acid and lauryl methacrylate monomers; and crosspolymers of acrylates/C₁₀-C₃₀ alkyl acrylates and crosspolymers of acrylic acid/C₁₀-C₃₀ alkyl acrylate;

cationic amphiphilic polymers chosen from: polyquarternium-24, PG-hydroxyethylcellulose lauryldiammonium chloride, PG-hydroxyethylcellulose cocodiammonium chloride, and PG-hydroxyethylcellulose stearyldiammonium chloride; and


663020 6290960

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, CARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000

98.

(a) wherein said compounds of formula (I) are chosen from compounds of formula:



a 4'-aminophenyl radical; and C₁-C₄ alkyl radicals which can optionally be substituted with a radical chosen from -CN, -OH and -NH₂ radicals or form, with each other or a carbon atom of the benzene ring of formula (I), a heterocycle optionally containing a heteroatom chosen from oxygen and nitrogen, which can be substituted with at least one radical chosen from C₁-C₄ alkyl radicals;

R_3 and R'_3 , which may be identical or different, are chosen from a hydrogen atom, halogen atoms, a cyano radical, C_1 - C_4 alkyl radicals, C_1 - C_4 alkoxy radicals and acetyloxy radicals,

X^- is chosen from anions,


A is chosen from structures A_1 to A_{19} below:

05725.0435-00000


LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000






A₁₆




A₁₇



A₁₈

and



A₁₉


in which:

R₄ is chosen from C₁-C₄ alkyl radicals which can be substituted with a hydroxyl radical, and

R₅ is chosen from C₁-C₄ alkoxy radicals, and

wherein when D represents -CH, when A represents A₄ or A₁₃ and when R₃ is not an alkoxy radical, R₁ and R₂ are not both a hydrogen atom;

(b) wherein said compounds of formula (II) are chosen from compounds of formula:



in which:


R_6 is chosen from a hydrogen atom and C_1 - C_4 alkyl radicals,

R_7 is chosen from a hydrogen atom, alkyl radicals which can be substituted with a species chosen from a -CN radical and an amino group, and a 4'-aminophenyl radical, or forms, with R_6 , a heterocycle optionally comprising at least one heteroatom chosen from oxygen and nitrogen, which can be substituted with C_1 - C_4 alkyl radicals,

R_8 and R_9 , which may be identical or different, are chosen from a hydrogen atom, halogen atoms, C_1 - C_4 alkyl radicals C_1 - C_4 alkoxy radicals and a -CN radical,

X^- is chosen from anions,

B is chosen from structures B_1 to B_6 below:




C[C@H]1C=C[N+]1(R10)S(R10)


R_{10} is chosen from C_1 - C_4 alkyl radicals, and

R₁₁ and R₁₂, which may be identical or different, are chosen from a hydrogen atom and C₁-C₄ alkyl radicals;

(c) wherein said compounds of formulae (III) and (III') are chosen from compounds of formulae:



(III)



(III')

in which:

R_{13} is chosen from a hydrogen atom, C_1 - C_4 alkoxy radicals, halogen atoms and an amino radical,

R_{14} is chosen from a hydrogen atom, C_1 - C_4 alkyl radicals or forms, with a carbon atom of the benzene ring, a heterocycle optionally containing an oxygen heteroatom and/or substituted with at least one to radical chosen from C_1 - C_4 alkyl radicals,

R_{15} is chosen from a hydrogen atom and halogen atoms,

R_{16} and R_{17} , which may be identical or different, are chosen from a hydrogen atom and C_1 - C_4 alkyl radicals,


D_1 and D_2 , which may be identical or different, are chosen from a nitrogen atom and a -CH group,

$m = 0$ or 1 ,


wherein when R_{13} is an unsubstituted amino group, D_1 and D_2 are both a -CH group and $m = 0$,

X⁻ is chosen from anions,


E is chosen from structures E₁ to E₈ below:




E1




E2




E3




E4



E5




E6



E7


and



E8

in which R' is chosen from C₁-C₄ alkyl radicals;

wherein when m = 0 and when D₁ represents a nitrogen atom, E can be further chosen from structure E9 below:



E9




in which R' is chosen from C₁-C₄ alkyl radicals;

(d) wherein said compounds of formula (IV) are chosen from compounds of formula:



in which:

G is chosen from structures G₁ to G₃ below:



in which:

R_{18} is chosen from C_1 - C_4 alkyl radicals and a phenyl radical which can optionally be substituted with C_1 - C_4 alkyl radicals or a halogen atom chosen from chlorine, bromine, iodine and fluorine;

R_{19} is chosen from C_1 - C_4 radicals and a phenyl radical;

R_{20} and R_{21} , which may be identical or different, are chosen from C_1 - C_4 alkyl radicals and a phenyl radical, or

together form, in G_1 , a benzene ring substituted with at least one radical chosen from C_1 - C_4 alkyl radicals, C_1 - C_4 alkoxy radicals and NO_2 radicals, or

together form, in G_2 , a benzene ring optionally substituted with at least one radical chosen from C_1 - C_4 alkyl radicals, C_1 - C_4 alkoxy radicals and NO_2 radicals;

R_{20} can be further chosen from a hydrogen atom;

Z is chosen from an oxygen atom, a sulphur atom and $-NR_{19}$ radicals;

M is chosen from a $-CH$ radical, $-C(C_1-C_4 \text{ alkyl})$ radicals and $-N^+R_{22}(X^-)_r$ radicals;

K is chosen from a $-CH$ radical, $-C(C_1-C_4 \text{ alkyl})$ radicals and $-N^+R_{22}(X^-)_r$ radicals;

P is chosen from a $-CH$ radical, $-C(C_1-C_4 \text{ alkyl})$ radicals and $-N^+R_{22}(X^-)_r$ radicals;

wherein r denotes zero or 1;

wherein R_{22} is chosen from an O^- anion, C_1 - C_4 alkoxy radicals, and C_1 - C_4 alkyl radicals;

R_{23} and R_{24} , which may be identical or different, are chosen from a hydrogen atom, halogen atoms chosen from chlorine, bromine, iodine and fluorine, C_1 - C_4 alkyl radicals, C_1 - C_4 alkoxy radicals and an $-NO_2$ radical;

X^- is chosen from anions;

wherein if R_{22} is O^- , r is zero;

wherein if K or P or M is C_1 - C_4 $-N^+$ -alkyl X^- , either R_{23} or R_{24} is not a hydrogen atom;


wherein if K is $-N^+R_{22}(X^-)_r$, M and P are the same and are chosen from a $-CH$ radical and $-C(C_1-C_4 \text{ alkyl})$ radicals;

wherein if M denotes $-N^+R_{22}(X^-)_r$, K and P are the same and are chosen from a $-CH$ radical and $-C(C_1-C_4 \text{ alkyl})$ radicals;

if Z is a sulphur atom with R_{21} being a radical chosen from C_1 - C_4 alkyl radicals,
 R_{20} is not a hydrogen atom;

if Z is -NR₂₂ with R₁₉ being a radical chosen from C₁-C₄ alkyl radicals, at least one of the radicals R₁₈, R₂₀ and R₂₁ of G₂ is not chosen from C₁-C₄ alkyl radicals;

(1) radicals chosen from structure J₁ below:



J.

R_{25} is chosen from a hydrogen atom, halogen atoms chosen from chlorine, bromine, iodine and fluorine, C_1 - C_4 alkyl radicals, C_1 - C_4 alkoxy radicals, an -OH radical, an -NO₂ radical, -NHR₂₈ radicals, -NR₂₉R₃₀ radicals, -NHCO (C_1 - C_4) alkyl radicals, or forms, with R₂₆, a 5- or 6-membered ring optionally containing at least one heteroatom chosen from nitrogen, oxygen and sulphur;

R_{26} is chosen from a hydrogen atom, halogen atoms chosen from chlorine, bromine, iodine and fluorine, C_1 - C_4 alkyl radicals, C_1 - C_4 alkoxy radicals or forms, with R_{27} or R_{28} , a 5- or 6-membered ring optionally containing at least one heteroatom chosen from nitrogen, oxygen and sulphur;

R_{27} is chosen from a hydrogen atom, an -OH radical, -NHR₂₈ radicals and -NR₂₉R₃₀ radicals;

R_{28} is chosen from a hydrogen atom, C₁-C₄ alkyl radicals, C₁-C₄ monohydroxyalkyl radicals, C₂-C₄ polyhydroxyalkyl radicals and a phenyl radical;

R_{29} and R_{30} , which may be identical or different, are chosen from C₁-C₄ alkyl radicals, C₁-C₄ monohydroxyalkyl radicals and C₂-C₄ polyhydroxyalkyl radicals;

(2) 5- and 6-membered nitrogenous heterocyclic groups optionally containing other heteroatoms and/or carbonyl groups and optionally substituted with at least one radical chosen from C₁-C₄ alkyl radicals, an amino radical, a phenyl radical, and

- wherein said second composition comprises at least one oxidizing agent and at least one thickening polymer,

— wherein said at least one thickening polymer is chosen from polymers comprising:

(ii)₁ - nonionic amphiphilic polymers, comprising: at least one hydrophilic unit and at least one unit comprising a fatty chain;

(ii)₂ - anionic amphiphilic polymers, comprising: at least one hydrophilic unit and at least one unit comprising a fatty chain; and







(ii)₃ - cationic amphiphilic polymers, comprising at least one hydrophilic unit and at least one unit comprising a fatty chain.

99. A multi-compartment dyeing kit, comprising at least two separate compartments, wherein a first compartment contains a first composition and a second compartment contains a second composition,
- wherein said first composition comprises at least one cationic direct dye chosen from:

05725.0435-00000

LAW OFFICES






FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000



662020 64350000

LAW OFFICES






FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000








663020 6230360






LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 1 STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000



000020" 02505E60










668020 62505E60

LAW OFFICES






FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000



003639 07000

LAW OFFICES






FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000













000020 62309260

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000












000020" 64503660

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000









000020"62505E60






LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000






















66043 6250560




(IV)₁₃




(IV)₁₄



(IV)₁₅




(IV)₁₆




(IV)₁₇


663042 62303660




(IV)₁₈




(IV)₁₉




(IV)₂₀



(IV)₂₁



(IV)₂₂




(IV)₂₃


LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D. C. 20005
202-408-4000







(IV)₂₄



(IV)₂₅




(IV)₂₆



(IV)₂₇

CH₃SO₄⁻








(IV)₂₈

CH₃SO₄⁻





05725.0435-00000

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000




65020 6493660




LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000




(IV)₃₈



(IV)₃₉



(IV)₄₀




(IV)₄₁

663020-6430360


LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000







(IV)₄₇



(IV)₄₈



(IV)₄₉




(IV)₅₀

66642-6450366


LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000







(IV)₅₆



(IV)₅₇




(IV)₅₈




(IV)₅₉


000020" 6450560




(IV)₆₀




(IV)₆₁



(IV)₆₂




(IV)₆₃




(IV)₆₄







(IV)₆₉




(IV)₇₀



(IV)₇₁



(IV)₇₂




(IV)₇₃


000020-0250560

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000




(IV)₇₄



(IV)₇₅



(IV)₇₆



(IV)₇₇

6250560

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000

and

- wherein said second composition comprises at least one oxidizing agent and at least one thickening polymer,

- wherein said at least one oxidizing agent is chosen from:

hydrogen peroxide, urea peroxide, alkali metal bromates, persalts, and enzymes;

and

- wherein said at least one thickening polymer is chosen from:


nonionic amphiphilic polymers chosen from: polyethylene glycol (15) nonylphenyl ether; cetyl hydroxyethylcellulose, copolymers of vinylpyrrolidone/hexadecene, vinylpyrrolidone/eicosene, copolymers of oxyethylenated methyl methacrylate/stearyl acrylate, diurethane (HMD) of oxyethylenated (66 EO) and oxypropylenated (14 PO) C₁₆-C₁₈ alcohols, and polyethylene glycol methacrylate/lauryl methacrylate;

anionic amphiphilic polymers chosen from: crosslinked terpolymers of methacrylic acid, of ethyl acrylate and of Steareth-10 allyl ether; crosslinked terpolymers of methacrylic acid/ethylacrylate/steareth 10 allyl ether; polymers of acrylic acid and of lauryl methacrylate; polymers formed from a mixture of acrylic acid and lauryl methacrylate monomers; and crosspolymers of acrylates/C₁₀-30 alkyl acrylates and crosspolymers of acrylic acid/C₁₀-C₃₀ alkyl acrylate;

100.

– wherein said first composition comprises at least one cationic direct dye chosen from compounds of formulae (I), (II), (III), (III') and (IV) below, and at least one thickening polymer,

(a) wherein said compounds of formula (I) are chosen from compounds of formula:



in which:

D is chosen from a nitrogen atom and a -CH group,

R₁ and R₂, which may be identical or different, are chosen from a hydrogen atom; a 4'-aminophenyl radical; and C₁-C₄ alkyl radicals which can optionally be substituted with a radical chosen from -CN, -OH and -NH₂ radicals or form, with each other or a carbon atom of the benzene ring of formula (I), a heterocycle optionally containing a

heteroatom chosen from oxygen and nitrogen, which can be substituted with at least one radical chosen from C₁-C₄ alkyl radicals;

R₃ and R'₃, which may be identical or different, are chosen from a hydrogen atom, halogen atoms, a cyano radical, C₁-C₄ alkyl radicals, C₁-C₄ alkoxy radicals and acetyloxy radicals,
















X⁻ is chosen from anions,


A is chosen from structures A₁ to A₁₉ below:

0936039 070899
668020 6250360


LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000






A₁₆




A₁₇



A₁₈

and



A₁₉


in which:

R₄ is chosen from C₁-C₄ alkyl radicals which can be substituted with a hydroxyl radical, and

R₅ is chosen from C₁-C₄ alkoxy radicals, and

wherein when D represents -CH, when A represents A₄ or A₁₃ and when R₃ is not an alkoxy radical, R₁ and R₂ are not both a hydrogen atom;

(b) wherein said compounds of formula (II) are chosen from compounds of formula:



in which:


R_6 is chosen from a hydrogen atom and C_1 - C_4 alkyl radicals,


R_7 is chosen from a hydrogen atom, alkyl radicals which can be substituted with a species chosen from a -CN radical and an amino group, and a 4'-aminophenyl radical, or forms, with R_6 , a heterocycle optionally comprising at least one heteroatom chosen from oxygen and nitrogen, which can be substituted with C_1 - C_4 alkyl radicals,

R_8 and R_9 , which may be identical or different, are chosen from a hydrogen atom, halogen atoms, C_1 - C_4 alkyl radicals C_1 - C_4 alkoxy radicals and a -CN radical,

X^- is chosen from anions,

B is chosen from structures B_1 to B_6 below:





in which:


R_{10} is chosen from C_1 - C_4 alkyl radicals, and

R_{11} and R_{12} , which may be identical or different, are chosen from a hydrogen atom and C_1 - C_4 alkyl radicals;

(c) wherein said compounds of formulae (III) and (III') are chosen from compounds of formulae:

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000



(iii')

R₁₃ is chosen from a hydrogen atom, C₁-C₄ alkoxy radicals, halogen atoms and an amino radical.

R₁₄ is chosen from a hydrogen atom, C₁-C₄ alkyl radicals or forms, with a carbon atom of the benzene ring, a heterocycle optionally containing an oxygen heteroatom and/or substituted with at least one to radical chosen from C₁-C₄ alkyl radicals,

R_{15} is chosen from a hydrogen atom and halogen atoms,

R₁₆ and R₁₇, which may be identical or different, are chosen from a hydrogen atom and C₁-C₄ alkyl radicals,


D₁ and D₂, which may be identical or different, are chosen from a nitrogen atom and a -CH group,

$$m = 0 \text{ or } 1,$$


wherein when R_{13} is an unsubstituted amino group, D_1 and D_2 are both a -CH group and $m = 0$,

X⁻ is chosen from anions,


E is chosen from structures E₁ to E₈ below:




E1




E2




E3




E4



E5



E6




E7

and

0036020 6250560

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000



E8

in which R' is chosen from C₁-C₄ alkyl radicals;

wherein when m = 0 and when D₁ represents a nitrogen atom, E can be further chosen from structure E9 below:



E9

in which R' is chosen from C₁-C₄ alkyl radicals;

(d) wherein said compounds of formula (IV) are chosen from compounds of formula:




in which:


G is chosen from structures G₁ to G₃ below:

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000



G₁



G₂



G₃

in which:

R₁₈ is chosen from C₁-C₄ alkyl radicals and a phenyl radical which can optionally be substituted with C₁-C₄ alkyl radicals or a halogen atom chosen from chlorine, bromine, iodine and fluorine;

R₁₉ is chosen from C₁-C₄ radicals and a phenyl radical;

R₂₀ and R₂₁, which may be identical or different, are chosen from C₁-C₄ alkyl radicals and a phenyl radical, or

together form, in G₁, a benzene ring substituted with at least one radical
chosen from C₁-C₄ alkyl radicals, C₁-C₄ alkoxy radicals and NO₂ radicals, or

R₂₀ can be further chosen from a hydrogen atom;

M is chosen from a -CH radical, -C(C₁-C₄ alkyl) radicals and -N⁺R₂₂(X⁻)_r radicals;

K is chosen from a -CH radical, -C(C₁-C₄ alkyl) radicals and -N⁺R₂₂(X⁻)_f radicals;

P is chosen from a -CH radical, -C(C₁-C₄ alkyl) radicals and -N⁺R₂₂(X⁻)_f radicals;

wherein r denotes zero or 1;

wherein R_{22} is chosen from an O^- anion, C_1 - C_4 alkoxy radicals, and C_1 - C_4 alkyl radicals;

R₂₃ and R₂₄, which may be identical or different, are chosen from a hydrogen atom, halogen atoms chosen from chlorine, bromine, iodine and fluorine, C₁-C₄ alkyl radicals, C₁-C₄ alkoxy radicals and an -NO₂ radical;

X^- is chosen from anions;

wherein if R_{22} is O^- , r is zero;

wherein if K or P or M is C₁-C₄-N⁺-alkyl X⁻, either R₂₃ or R₂₄ is not a hydrogen atom;

wherein if K is $-N^+R_{22}(X^-)_r$, M and P are the same and are chosen from a -CH radical and -C(C₁-C₄ alkyl) radicals;

wherein if M denotes $-N^+R_{22}(X^-)$, K and P are the same and are chosen from a $-CH$ radical and $-C(C_1-C_4 \text{ alkyl})$ radicals;


if P is $-N^+R_{22}(X^-)_r$, K and M are the same and are chosen from a -CH radical and $-C(C_1-C_4 \text{ alkyl})$ radicals;

if Z is a sulphur atom with R_{21} being a radical chosen from C_1-C_4 alkyl radicals, R_{20} is not a hydrogen atom;

if Z is $-NR_{22}$ with R_{19} being a radical chosen from C_1-C_4 alkyl radicals, at least one of the radicals R_{18} , R_{20} and R_{21} of G_2 is not chosen from C_1-C_4 alkyl radicals;

J is chosen from:

(1) radicals chosen from structure J_1 below:



J_1

in which:

R_{25} is chosen from a hydrogen atom, halogen atoms chosen from chlorine, bromine, iodine and fluorine, C_1-C_4 alkyl radicals, C_1-C_4 alkoxy radicals, an -OH radical, an $-NO_2$ radical, $-NHR_{28}$ radicals, $-NR_{29}R_{30}$ radicals, $-NHCO(C_1-C_4)$ alkyl radicals, or forms, with R_{26} , a 5- or 6-membered ring optionally containing at least one heteroatom chosen from nitrogen, oxygen and sulphur;

R_{26} is chosen from a hydrogen atom, halogen atoms chosen from chlorine, bromine, iodine and fluorine, C_1-C_4 alkyl radicals, C_1-C_4 alkoxy radicals or forms, with R_{27} or R_{28} , a 5- or 6-membered ring optionally containing at least one heteroatom chosen from nitrogen, oxygen and sulphur;

R_{27} is chosen from a hydrogen atom, an -OH radical, -NHR₂₈ radicals and -NR₂₉R₃₀ radicals;

R_{28} is chosen from a hydrogen atom, C₁-C₄ alkyl radicals, C₁-C₄ monohydroxyalkyl radicals, C₂-C₄ polyhydroxyalkyl radicals and a phenyl radical;

R_{29} and R_{30} , which may be identical or different, are chosen from C₁-C₄ alkyl radicals, C₁-C₄ monohydroxyalkyl radicals and C₂-C₄ polyhydroxyalkyl radicals;

(2) 5- and 6-membered nitrogenous heterocyclic groups optionally containing other heteroatoms and/or carbonyl groups and optionally substituted with at least one radical chosen from C₁-C₄ alkyl radicals, an amino radical, a phenyl radical, and

— wherein said at least one thickening polymer is chosen from polymers comprising:

(ii)₁ - nonionic amphiphilic polymers, comprising: at least one hydrophilic unit and at least one unit comprising a fatty chain;

(ii)₂ - anionic amphiphilic polymers, comprising: at least one hydrophilic unit and at least one unit comprising a fatty chain; and

(ii)₃ - cationic amphiphilic polymers, comprising at least one hydrophilic unit and at least one unit comprising a fatty chain.

— wherein said at least one thickening polymer is chosen from polymers comprising:

(ii)₁ - nonionic amphiphilic polymers, comprising: at least one hydrophilic unit and at least one unit comprising a fatty chain;

(ii)₂ - anionic amphiphilic polymers, comprising: at least one hydrophilic unit and at least one unit comprising a fatty chain; and

(ii)₃ - cationic amphiphilic polymers, comprising at least one hydrophilic unit and at least one unit comprising a fatty chain; and







- wherein said second composition comprises at least one oxidizing agent.

101. A multi-compartment dyeing kit, comprising at least two separate compartments, wherein a first compartment contains a first composition and a second compartment contains a second composition,

- wherein said first composition comprises at least one cationic direct dye and at least one thickening polymer,

- wherein said at least one cationic direct dye is chosen from:






663340 62503660



66020" 6230560

LAW OFFICES






FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000








668020 6250560

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000










000006435000

LAW OFFICES






FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000








668040" 62505260






LAW OFFICES






FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000





000020 02505660














0935059.020899

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000










000020" 02505660

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000









003030 02503260

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000

CN1C=NC2=C1S=C2/N=N/c3ccc(N(C)C)cc3.[CH3-]S(=O)(=O)O (II9)







66822"6450560

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000









(IV)₁




(IV)₂




(IV)₃



(IV)₄



(IV)₅



(IV)₆

66020"6290560


LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000


Cc1cccc([n+]1)[O-].[O-][N+]#Nc1ccc(cc1)N(CCOC)CCOC (IV)₇CC1=CC=C(C=C1)N(C2=CC=CC=C2)N=N[C+]3C=CC=C(C)C3[O-] (IV)₈Cc1cccc([n+]1[O-])=N=Nc2ccc(N(C)C)cc2 (IV)₉Cc1ccc([n+]1([O-])=N=Nc2ccc(N(C)C)cc2)cc1 (IV)₁₀CC1=CC=C(C(=[N+]([O-])1)/N=N/c2ccc(cc2)N(CC)CC)C (IV)₁₁Cc1cc[n+](c1)[O-]/N=N/c2ccc(N(CC2)O)cc2 (IV)₁₂









(IV)₂₄



(IV)₂₅




(IV)₂₆



(IV)₂₇

CH₃SO₄⁻




(IV)₂₈

CH₃SO₄⁻


668020 6250560

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000




(IV)₂₉




(IV)₃₀



(IV)₃₁



(IV)₃₂







(IV)₃₃

66020-0230360

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000




033020-0250360


LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000







(IV)₄₂




(IV)₄₃




(IV)₄₄




(IV)₄₅




(IV)₄₆




(IV)₄₇



(IV)₄₈



(IV)₄₉




(IV)₅₀

66040 6250560


LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000







(IV)₅₆



(IV)₅₇



(IV)₅₈




(IV)₅₉


005050.020000

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000




(IV)₆₀




(IV)₆₁



(IV)₆₂




(IV)₆₃




(IV)₆₄

CH₃SO₄⁻







(IV)₆₉




(IV)₇₀



(IV)₇₁



(IV)₇₂




(IV)₇₃

095059 020560



- wherein said first composition comprises at least one cationic direct dye chosen from compounds of formulae (I), (II), (III), (III') and (IV) below and at least one oxidation base;

(a) wherein said compounds of formula (I) are chosen from compounds of formula:



in which:
















D is chosen from a nitrogen atom and a -CH group,

R_1 and R_2 , which may be identical or different, are chosen from a hydrogen atom; a 4'-aminophenyl radical; and C_1 - C_4 alkyl radicals which can optionally be substituted with a radical chosen from -CN, -OH and - NH_2 radicals or form, with each other or a carbon atom of the benzene ring of formula (I), a heterocycle optionally containing a heteroatom chosen from oxygen and nitrogen, which can be substituted with at least one radical chosen from C_1 - C_4 alkyl radicals;

R_3 and R'_3 , which may be identical or different, are chosen from a hydrogen atom, halogen atoms, a cyano radical, C_1 - C_4 alkyl radicals, C_1 - C_4 alkoxy radicals and acetyloxy radicals,

X^- is chosen from anions,


LAW OFFICES
MEGAN, HENDERSON,
RABOW, GARRETT,
& DUNNER, L.L.P.
300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000




00567-0305260

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000



A₁₆




A₁₇



A₁₈

and



A₁₉


in which:

R₄ is chosen from C₁-C₄ alkyl radicals which can be substituted with a hydroxyl radical, and

R₅ is chosen from C₁-C₄ alkoxy radicals, and

wherein when D represents -CH, when A represents A₄ or A₁₃ and when R₃ is not an alkoxy radical, R₁ and R₂ are not both a hydrogen atom;

(b) wherein said compounds of formula (II) are chosen from compounds of formula:



in which:


R_6 is chosen from a hydrogen atom and C_1 - C_4 alkyl radicals,


R_7 is chosen from a hydrogen atom, alkyl radicals which can be substituted with a species chosen from a -CN radical and an amino group, and a 4'-aminophenyl radical, or forms, with R_6 , a heterocycle optionally comprising at least one heteroatom chosen from oxygen and nitrogen, which can be substituted with C_1 - C_4 alkyl radicals,

R_8 and R_9 , which may be identical or different, are chosen from a hydrogen atom, halogen atoms, C_1 - C_4 alkyl radicals C_1 - C_4 alkoxy radicals and a -CN radical,

X^- is chosen from anions,

B is chosen from structures B_1 to B_6 below:






in which:


R_{10} is chosen from C_1 - C_4 alkyl radicals, and

R_{11} and R_{12} , which may be identical or different, are chosen from a hydrogen atom and C_1 - C_4 alkyl radicals;

(c) wherein said compounds of formulae (III) and (III') are chosen from compounds of formulae:



(III)



(III')

in which:

R_{13} is chosen from a hydrogen atom, C_1 - C_4 alkoxy radicals, halogen atoms and an amino radical,

R_{14} is chosen from a hydrogen atom, C_1 - C_4 alkyl radicals or forms, with a carbon atom of the benzene ring, a heterocycle optionally containing an oxygen heteroatom and/or substituted with at least one to radical chosen from C_1 - C_4 alkyl radicals,

R_{15} is chosen from a hydrogen atom and halogen atoms,

R_{16} and R_{17} , which may be identical or different, are chosen from a hydrogen atom and C_1 - C_4 alkyl radicals,

D_1 and D_2 , which may be identical or different, are chosen from a nitrogen atom and a -CH group,

$m = 0$ or 1 ,

wherein when R_{13} is an unsubstituted amino group, D_1 and D_2 are both a -CH group and $m = 0$,


05725.0435-00000

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000

X⁻ is chosen from anions,


E is chosen from structures E₁ to E₈ below:




E1




E2




E3




E4



E5



E6




E7

and

663020 6259560

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000



E8

in which R' is chosen from C₁-C₄ alkyl radicals;

wherein when m = 0 and when D₁ represents a nitrogen atom, E can be further chosen from structure E9 below:



E9




in which R' is chosen from C₁-C₄ alkyl radicals;

(d) wherein said compounds of formula (IV) are chosen from compounds of formula:



in which:

G is chosen from structures G₁ to G₃ below:



in which:

R_{18} is chosen from C_1 - C_4 alkyl radicals and a phenyl radical which can optionally be substituted with C_1 - C_4 alkyl radicals or a halogen atom chosen from chlorine, bromine, iodine and fluorine;

R_{19} is chosen from C_1 - C_4 radicals and a phenyl radical;

R_{20} and R_{21} , which may be identical or different, are chosen from C_1 - C_4 alkyl radicals and a phenyl radical, or

together form, in G_1 , a benzene ring substituted with at least one radical chosen from C_1 - C_4 alkyl radicals, C_1 - C_4 alkoxy radicals and NO_2 radicals, or

together form, in G_2 , a benzene ring optionally substituted with at least one radical chosen from C_1 - C_4 alkyl radicals, C_1 - C_4 alkoxy radicals and NO_2 radicals;

R_{20} can be further chosen from a hydrogen atom;

Z is chosen from an oxygen atom, a sulphur atom and $-NR_{19}$ radicals;

M is chosen from a $-CH$ radical, $-C(C_1-C_4 \text{ alkyl})$ radicals and $-N^+R_{22}(X^-)_r$ radicals;

K is chosen from a $-CH$ radical, $-C(C_1-C_4 \text{ alkyl})$ radicals and $-N^+R_{22}(X^-)_r$ radicals;

P is chosen from a $-CH$ radical, $-C(C_1-C_4 \text{ alkyl})$ radicals and $-N^+R_{22}(X^-)_r$ radicals;

wherein r denotes zero or 1;

wherein R_{22} is chosen from an O^- anion, C_1 - C_4 alkoxy radicals, and C_1 - C_4 alkyl radicals;

R_{23} and R_{24} , which may be identical or different, are chosen from a hydrogen atom, halogen atoms chosen from chlorine, bromine, iodine and fluorine, C_1 - C_4 alkyl radicals, C_1 - C_4 alkoxy radicals and an $-NO_2$ radical;

X^- is chosen from anions;

wherein if R_{22} is O^- , r is zero;

wherein if K or P or M is $C_1-C_4-N^+$ -alkyl X^- , either R_{23} or R_{24} is not a hydrogen atom;

wherein if K is $-N^+R_{22}(X^-)_r$, M and P are the same and are chosen from a $-CH$ radical and $-C(C_1-C_4 \text{ alkyl})$ radicals;

wherein if M denotes $-N^+R_{22}(X^-)_r$, K and P are the same and are chosen from a $-CH$ radical and $-C(C_1-C_4 \text{ alkyl})$ radicals;


if P is $-N^+R_{22}(X^-)_r$, K and M are the same and are chosen from a -CH radical and $-C(C_1-C_4 \text{ alkyl})$ radicals;

if Z is a sulphur atom with R_{21} being a radical chosen from C_1-C_4 alkyl radicals, R_{20} is not a hydrogen atom;

if Z is $-NR_{22}$ with R_{19} being a radical chosen from C_1-C_4 alkyl radicals, at least one of the radicals R_{18} , R_{20} and R_{21} of G_2 is not chosen from C_1-C_4 alkyl radicals;

J is chosen from:

(1) radicals chosen from structure J_1 below:



J_1

in which:

R_{25} is chosen from a hydrogen atom, halogen atoms chosen from chlorine, bromine, iodine and fluorine, C_1-C_4 alkyl radicals, C_1-C_4 alkoxy radicals, an -OH radical, an $-NO_2$ radical, $-NHR_{28}$ radicals, $-NR_{29}R_{30}$ radicals, $-NHCO(C_1-C_4)$ alkyl radicals, or forms, with R_{26} , a 5- or 6-membered ring optionally containing at least one heteroatom chosen from nitrogen, oxygen and sulphur;

R_{26} is chosen from a hydrogen atom, halogen atoms chosen from chlorine, bromine, iodine and fluorine, C_1-C_4 alkyl radicals, C_1-C_4 alkoxy radicals or forms, with R_{27} or R_{28} , a 5- or 6-membered ring optionally containing at least one heteroatom chosen from nitrogen, oxygen and sulphur;

66000 6435000

R_{27} is chosen from a hydrogen atom, an -OH radical, -NHR₂₈ radicals and -NR₂₉R₃₀ radicals;

R_{28} is chosen from a hydrogen atom, C₁-C₄ alkyl radicals, C₁-C₄ monohydroxyalkyl radicals, C₂-C₄ polyhydroxyalkyl radicals and a phenyl radical;

R_{29} and R_{30} , which may be identical or different, are chosen from C₁-C₄ alkyl radicals, C₁-C₄ monohydroxyalkyl radicals and C₂-C₄ polyhydroxyalkyl radicals;

(2) 5- and 6-membered nitrogenous heterocyclic groups optionally containing other heteroatoms and/or carbonyl groups and optionally substituted with at least one radical chosen from C₁-C₄ alkyl radicals, an amino radical, a phenyl radical, and

- wherein said second composition comprises at least one oxidizing agent and at least one thickening polymer,

- wherein said at least one thickening polymer is chosen from polymers comprising:

(ii)₁ - nonionic amphiphilic polymers, comprising: at least one hydrophilic unit and at least one unit comprising a fatty chain;

(ii)₂ - anionic amphiphilic polymers, comprising: at least one hydrophilic unit and at least one unit comprising a fatty chain; and

(ii)₃ - cationic amphiphilic polymers, comprising at least one hydrophilic unit and at least one unit comprising a fatty chain.

103. A multi-compartment dyeing kit, comprising at least two separate compartments, wherein a first compartment contains a first composition and a second compartment contains a second composition,







- wherein said first composition comprises at least one cationic direct dye and at least one oxidation base,

- wherein said at least one cationic direct dye is chosen from:

05725.0435-00000

LAW OFFICES






FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000








663040 62505660

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000















663320" 6290900

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000















66040 649960






LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000










66040-629560



00529-0250560

LAW OFFICES






FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000



668020" 6290560

LAW OFFICES





FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000



663020-6250560

LAW OFFICES






FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000







006040" 6450560

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000

















66040" 6450560






LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000







663040" 6450560









(IV)₁




(IV)₂




(IV)₃



(IV)₄



(IV)₅









(IV)₆

663020 64509660

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000




656040 64509660

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000




(IV)₁₃




(IV)₁₄



(IV)₁₅



(IV)₁₆




(IV)₁₇


003520 0250560

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000




(IV)₁₈




(IV)₁₉




(IV)₂₀



(IV)₂₁



(IV)₂₂




(IV)₂₃


66020 660560

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000




(IV)₂₄



(IV)₂₅




(IV)₂₆



(IV)₂₇

CH₃SO₄⁻



(IV)₂₈

CH₃SO₄⁻

Cc1ccccc1[N+]([CH3])=N/N=N/c1ccc(N)cc1.[CH3][S](=O)(=O)[O-]Cc1cc(C[N+](C)(C)C)cc(N=Nc2ccc(N(CCOC)CCOC)cc2)c1.[CH3-]S(=O)(=O)O

(IV)₃₀

C[N+]1=CC=CC=C1/N=N/c2ccc(cc2)N(CC)CC.[O-]S(=O)(=O)C





(IV)₃₁

Cc1cccc[n+](C)c1=N=Nc2ccc(N(C)C)cc2.[CH3-]S(=O)(=O)O

(IV)₃₂

C[N+]1=CC=CC=C1=N=Nc2ccc(cc2Cl)N(C)C.[CH3-]S(=O)(=O)(O)O

(IV)₃₃




660420 6450560


LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000







(IV)₄₂




(IV)₄₃




(IV)₄₄




(IV)₄₅




(IV)₄₆




(IV)₄₇



(IV)₄₈



(IV)₄₉




(IV)₅₀


66040" 6230560

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000




(IV)₅₁




(IV)₅₂



(IV)₅₃



(IV)₅₄




(IV)₅₅


66020" 643500

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000




(IV)₅₆



(IV)₅₇



(IV)₅₈



(IV)₅₉

666020 62509260


LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000












(IV)₇₄



(IV)₇₅



(IV)₇₆



(IV)₇₇

66020 6450560

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000

- wherein said at least one oxidation base is chosen from:
para-phenylenediamines, bis(phenyl)alkylenediamines, para-aminophenols, ortho-aminophenols and heterocyclic bases;
- wherein said second composition comprises at least one oxidizing agent and at least one thickening polymer,
 - wherein said at least one oxidizing agent is chosen from: hydrogen peroxide, urea peroxide, alkali metal bromates, persalts, and enzymes, and
 - wherein at least one thickening polymer is chosen from:
nonionic amphiphilic polymers chosen from: polyethylene glycol (15) nonylphenyl ether; cetyl hydroxyethylcellulose, copolymers of vinylpyrrolidone/hexadecene, vinylpyrrolidone/eicosene, copolymers of oxyethylenated methyl methacrylate/stearyl acrylate, diurethane (HMD) of oxyethylenated (66 EO) and oxypropylenated (14 PO) C₁₆-C₁₈ alcohols, and polyethylene glycol methacrylate/lauryl methacrylate;
anionic amphiphilic polymers chosen from: crosslinked terpolymers of methacrylic acid, of ethyl acrylate and of Steareth-10 allyl ether; crosslinked terpolymers of methacrylic acid/ethylacrylate/steareth 10 allyl ether; polymers of acrylic acid and of lauryl methacrylate; polymers formed from a mixture of acrylic acid and lauryl methacrylate monomers; and crosspolymers of acrylates/C₁₀-C₃₀ alkyl acrylates and crosspolymers of acrylic acid/C₁₀-C₃₀ alkyl acrylate;

cationic amphiphilic polymers chosen from: polyquaternium-24, PG-hydroxyethylcellulose lauryldiammonium chloride, PG-hydroxyethylcellulose cocodiammonium chloride, and PG-hydroxyethylcellulose stearyldiammonium chloride.


104.

A multi-compartment dyeing kit, comprising at least two separate compartments, wherein a first compartment contains a first composition and a second compartment contains a second composition,

– wherein said first composition comprises:

at least one cationic direct dye chosen from compounds of formulae (I), (II), (III), (III') and (IV) below, at least one thickening polymer; and at least one oxidation base;

(a) wherein said compounds of formula (I) are chosen from compounds of formula:



in which:

D is chosen from a nitrogen atom and a -CH group,

R_1 and R_2 , which may be identical or different, are chosen from a hydrogen atom; a 4'-aminophenyl radical; and C_1 - C_4 alkyl radicals which can optionally be substituted with a radical chosen from -CN, -OH and - NH_2 radicals or form, with each other or a carbon atom of the benzene ring of formula (I), a heterocycle optionally containing a

heteroatom chosen from oxygen and nitrogen, which can be substituted with at least one radical chosen from C₁-C₄ alkyl radicals;

R₃ and R'₃, which may be identical or different, are chosen from a hydrogen atom, halogen atoms, a cyano radical, C₁-C₄ alkyl radicals, C₁-C₄ alkoxy radicals and acetyloxy radicals,
















X⁻ is chosen from anions,

A is chosen from structures A₁ to A₁₉ below:

666020 6250560

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000



Cc1cc(R4)c(R4)n1[R4]

A₁₉

LAW OFFICES
FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000



in which:


R_6 is chosen from a hydrogen atom and C_1 - C_4 alkyl radicals,

R_7 is chosen from a hydrogen atom, alkyl radicals which can be substituted with a species chosen from a -CN radical and an amino group, and a 4'-aminophenyl radical, or forms, with R_6 , a heterocycle optionally comprising at least one heteroatom chosen from oxygen and nitrogen, which can be substituted with C_1 - C_4 alkyl radicals,

R_8 and R_9 , which may be identical or different, are chosen from a hydrogen atom, halogen atoms, C_1 - C_4 alkyl radicals C_1 - C_4 alkoxy radicals and a -CN radical,


X^- is chosen from anions,

B is chosen from structures B_1 to B_6 below:



LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000




in which:


R_{10} is chosen from C_1 - C_4 alkyl radicals, and

R_{11} and R_{12} , which may be identical or different, are chosen from a hydrogen atom and C_1 - C_4 alkyl radicals;

(c) wherein said compounds of formulae (III) and (III') are chosen from compounds of formulae:



(III)



(III')

in which:

R_{13} is chosen from a hydrogen atom, C_1 - C_4 alkoxy radicals, halogen atoms and an amino radical,

R_{14} is chosen from a hydrogen atom, C_1 - C_4 alkyl radicals or forms, with a carbon atom of the benzene ring, a heterocycle optionally containing an oxygen heteroatom and/or substituted with at least one to radical chosen from C_1 - C_4 alkyl radicals,

R_{15} is chosen from a hydrogen atom and halogen atoms,

R_{16} and R_{17} , which may be identical or different, are chosen from a hydrogen atom and C_1 - C_4 alkyl radicals,


D_1 and D_2 , which may be identical or different, are chosen from a nitrogen atom and a -CH group,

$m = 0$ or 1 ,


wherein when R_{13} is an unsubstituted amino group, D_1 and D_2 are both a -CH group and $m = 0$,

X⁻ is chosen from anions,


E is chosen from structures E₁ to E₈ below:




E1




E2




E3




E4



E5




E6



E7


and



E8

in which R' is chosen from C₁-C₄ alkyl radicals;

wherein when m = 0 and when D₁ represents a nitrogen atom, E can be further chosen from structure E9 below:



E9

in which R' is chosen from C₁-C₄ alkyl radicals;

(d) wherein said compounds of formula (IV) are chosen from compounds of formula:






in which:

G is chosen from structures G₁ to G₃ below:

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000



in which:

R_{18} is chosen from C_1 - C_4 alkyl radicals and a phenyl radical which can optionally be substituted with C_1 - C_4 alkyl radicals or a halogen atom chosen from chlorine, bromine, iodine and fluorine;

R_{19} is chosen from C_1 - C_4 radicals and a phenyl radical;

R_{20} and R_{21} , which may be identical or different, are chosen from C_1 - C_4 alkyl radicals and a phenyl radical, or

together form, in G_1 , a benzene ring substituted with at least one radical chosen from C_1 - C_4 alkyl radicals, C_1 - C_4 alkoxy radicals and NO_2 radicals, or

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000

together form, in G_2 , a benzene ring optionally substituted with at least one radical chosen from C_1 - C_4 alkyl radicals, C_1 - C_4 alkoxy radicals and NO_2 radicals;

R_{20} can be further chosen from a hydrogen atom;

Z is chosen from an oxygen atom, a sulphur atom and $-NR_{19}$ radicals;

M is chosen from a $-CH$ radical, $-C(C_1-C_4 \text{ alkyl})$ radicals and $-N^+R_{22}(X^-)_r$ radicals;

K is chosen from a $-CH$ radical, $-C(C_1-C_4 \text{ alkyl})$ radicals and $-N^+R_{22}(X^-)_r$ radicals;

P is chosen from a $-CH$ radical, $-C(C_1-C_4 \text{ alkyl})$ radicals and $-N^+R_{22}(X^-)_r$ radicals;

wherein r denotes zero or 1;

wherein R_{22} is chosen from an O^- anion, C_1 - C_4 alkoxy radicals, and C_1 - C_4 alkyl radicals;

R_{23} and R_{24} , which may be identical or different, are chosen from a hydrogen atom, halogen atoms chosen from chlorine, bromine, iodine and fluorine, C_1 - C_4 alkyl radicals, C_1 - C_4 alkoxy radicals and an $-NO_2$ radical;

X^- is chosen from anions;

wherein if R_{22} is O^- , r is zero;

wherein if K or P or M is C_1 - C_4 $-N^+$ -alkyl X^- , either R_{23} or R_{24} is not a hydrogen atom;


wherein if K is $-N^+R_{22}(X^-)_r$, M and P are the same and are chosen from a $-CH$ radical and $-C(C_1-C_4 \text{ alkyl})$ radicals;

wherein if M denotes $-N^+R_{22}(X^-)_r$, K and P are the same and are chosen from a $-CH$ radical and $-C(C_1-C_4 \text{ alkyl})$ radicals;

if Z is a sulphur atom with R_{21} being a radical chosen from C_1 - C_4 alkyl radicals,
 R_{20} is not a hydrogen atom;

if Z is -NR₂₂ with R₁₉ being a radical chosen from C₁-C₄ alkyl radicals, at least one of the radicals R₁₈, R₂₀ and R₂₁ of G₂ is not chosen from C₁-C₄ alkyl radicals;

(1) radicals chosen from structure J₁ below:



R_{25} is chosen from a hydrogen atom, halogen atoms chosen from chlorine, bromine, iodine and fluorine, C_1 - C_4 alkyl radicals, C_1 - C_4 alkoxy radicals, an -OH radical, an -NO₂ radical, -NHR₂₈ radicals, -NR₂₉R₃₀ radicals, -NHCO (C_1 - C_4) alkyl radicals, or forms, with R₂₆, a 5- or 6-membered ring optionally containing at least one heteroatom chosen from nitrogen, oxygen and sulphur;

R₂₆ is chosen from a hydrogen atom, halogen atoms chosen from chlorine, bromine, iodine and fluorine, C₁-C₄ alkyl radicals, C₁-C₄ alkoxy radicals or forms, with R₂₇ or R₂₈, a 5- or 6-membered ring optionally containing at least one heteroatom chosen from nitrogen, oxygen and sulphur;

R_{27} is chosen from a hydrogen atom, an -OH radical, -NHR₂₈ radicals and -NR₂₉R₃₀ radicals;

R_{28} is chosen from a hydrogen atom, C₁-C₄ alkyl radicals, C₁-C₄ monohydroxyalkyl radicals, C₂-C₄ polyhydroxyalkyl radicals and a phenyl radical;

R_{29} and R_{30} , which may be identical or different, are chosen from C₁-C₄ alkyl radicals, C₁-C₄ monohydroxyalkyl radicals and C₂-C₄ polyhydroxyalkyl radicals;

(2) 5- and 6-membered nitrogenous heterocyclic groups optionally containing other heteroatoms and/or carbonyl groups and optionally substituted with at least one radical chosen from C₁-C₄ alkyl radicals, an amino radical, a phenyl radical, and

— wherein said at least one thickening polymer is chosen from polymers comprising:

(ii)₁ - nonionic amphiphilic polymers, comprising: at least one hydrophilic unit and at least one unit comprising a fatty chain;

(ii)₂ - anionic amphiphilic polymers, comprising: at least one hydrophilic unit and at least one unit comprising a fatty chain; and

(ii)₃ - cationic amphiphilic polymers, comprising at least one hydrophilic unit and at least one unit comprising a fatty chain; and

- wherein said second composition comprises at least one oxidizing agent.

105. A multi-compartment dyeing kit, comprising at least two separate compartments, wherein a first compartment contains a first composition and a second compartment contains a second composition,







Attorney Docket No. 05725.0435-00000

- wherein said first composition comprises at least one cationic direct dye, at least one oxidation base, and at least one thickening polymer,
- wherein said at least one cationic direct dye is chosen from:

05725.0435-00000

LAW OFFICES






**FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000**



663020 6250960

LAW OFFICES






FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000



000040 62509260

LAW OFFICES






FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000













668040 62509660

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000

















668042 64535660






LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000








000020"6250560









000020 62305600








000000 62503260

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000









000020 62503660

LAW OFFICES







FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000









0035039.070000

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000












000020 62505260

LAW OFFICES


FINNEGAN, HENDERSON,
 FARABOW, GARRETT,
 & DUNNER, L.L.P.
 1300 I STREET, N.W.
 WASHINGTON, D.C. 20005
 202-408-4000









(IV)₁




(IV)₂




(IV)₃



(IV)₄



(IV)₅




(IV)₆

668020" 62505E60


LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000


Cc1cccc([n+]1([O-])=N=Nc2ccc(cc2)N(CCO)CCO)[O-] (IV)₇




(IV)₁₃




(IV)₁₄



(IV)₁₅



(IV)₁₆




(IV)₁₇


0336059.070899

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000




(IV)₁₈




(IV)₁₉




(IV)₂₀



(IV)₂₁



(IV)₂₂




(IV)₂₃


000020 62505260

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000




(IV)₂₄



(IV)₂₅




(IV)₂₆



(IV)₂₇

CH₃SO₄⁻




(IV)₂₈

CH₃SO₄⁻




Cc1ccc(cc1[N+](C)(C)C)N=Nc2ccc(cc2)Nc3ccccc3.[O-]S(=O)(=O)C (IV)₃₄Cc1ccc(cc1[N+]([CH3])=N)/N=N/c2ccc(cc2)N(C)C.[CH3][S](=O)(=O)[O-]CN1C=CC=CC=C1[N+]([O-])=Nc2ccc(NC(C)=O)cc2N(C)C.[O-]S(=O)(=O)C


(IV)₃₇




(IV)₃₈



(IV)₃₉



(IV)₄₀




(IV)₄₁

000020" 02505660


LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000







(IV)₄₇



(IV)₄₈



(IV)₄₉



(IV)₅₀


668020" 62505260

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000









(IV)₆₀




(IV)₆₁



(IV)₆₂




(IV)₆₃




(IV)₆₄


668020" 6/5/96




(IV)₆₅



(IV)₆₆



(IV)₆₇




(IV)₆₈


000020 02505260

LAW OFFICES


FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N. W.
WASHINGTON, D. C. 20005
202-408-4000




(IV)₆₉




(IV)₇₀



(IV)₇₁



(IV)₇₂



(IV)₇₃

663020 62505660

LAW OFFICES

FINNEGAN, HENDERSON,
FARABOW, GARRETT,
& DUNNER, L.L.P.
1300 I STREET, N.W.
WASHINGTON, D.C. 20005
202-408-4000



- wherein said at least one oxidation base is chosen from:

para-phenylenediamines, bis(phenyl)alkylenediamines, para-aminophenols, ortho-aminophenols and heterocyclic bases;

- wherein said at least one thickening polymer is chosen from:


nonionic amphiphilic polymers chosen from: polyethylene glycol (15) nonylphenyl ether; cetyl hydroxyethylcellulose, copolymers of vinylpyrrolidone/hexadecene, vinylpyrrolidone/eicosene, copolymers of oxyethylenated methyl methacrylate/stearyl acrylate, diurethane (HMD) of oxyethylenated (66 EO) and oxypropylenated (14 PO) C₁₆-C₁₈ alcohols, and polyethylene glycol methacrylate/lauryl methacrylate;

anionic amphiphilic polymers chosen from: crosslinked terpolymers of methacrylic acid, of ethyl acrylate and of Steareth-10 allyl ether; crosslinked terpolymers of methacrylic acid/ethylacrylate/steareth 10 allyl ether; polymers of acrylic acid and of lauryl methacrylate; polymers formed from a mixture of acrylic acid and lauryl methacrylate monomers; and crosspolymers of acrylates/C₁₀-C₃₀ alkyl acrylates and crosspolymers of acrylic acid/C₁₀-C₃₀ alkyl acrylate;

cationic amphiphilic polymers chosen from: polyquarternium-24, PG-hydroxyethylcellulose lauryldiammonium chloride, PG-hydroxyethylcellulose cocodiammonium chloride, and PG-hydroxyethylcellulose stearyldiammonium chloride; and

- wherein said second composition comprises at least one oxidizing agent chosen from hydrogen peroxide, urea peroxide, alkali metal bromates, persalts, and enzymes.


106. The composition according to claim 1, wherein said J is chosen from 5- and 6-membered nitrogenous heterocyclic groups chosen from structure J₂ below:



in which:

R₃₁ and R₃₂, which may be identical or different, are chosen from a hydrogen atom, C₁-C₄ alkyl radicals and a phenyl radical;

Y is chosen from a -CO- radical and the radical



n = 0 or 1, and

wherein when n = 1, U is a -CO- radical.

107. The composition according to claim 1, wherein said composition is in a form chosen from sunscreens.

[Handwritten signature]

[Handwritten signature]